

Color Maps and Figures




Figure 6.3. Reporting Regions for the Global Modeling Results of the MA. The region labeled OECD does not correspond exactly with the actual member states of the OECD. Turkey, Mexico, and South Korea, member states of OECD, are reported here as part of the regions Northern Africa/Middle East, Latin America, and Asia, respectively. All countries in Central Europe are reported here as part of the OECD region. This reporting definition is used because regions have been aggregated from the regional definitions of the models used. IMAGE and WaterGAP models have used a slightly different definition. (Millennium Ecosystem Assessment)




Figure 7.5. Income per Person, per Capita (GNI) Average, 1999–2003. National income is converted to U.S. dollars using the World Bank Atlas method. U.S. dollar values are obtained from domestic currencies using a three-year weighted average of the exchange rate. (World Bank 2003)




Figure 7.6a. Average GDP per Capita Annual Growth Rate, 1990–2003




Figure 7.6b. Average GDP Annual Growth Rate, 1990–2003 (Based on data downloaded from the online World Bank database and reported in World Bank 2004.)




Figure 7.9. Metals Intensity of Use per Unit of GDP (PPP) as a Function of GDP (PPP) per Capita for 13 World Regions (Nakićenović et al. 2003). Metals include refined steel and MedAlloy (the sum of copper, lead, zinc, tin, and nickel). GDP here is measured in terms of purchasing power parities (PPP). The dashed curves are isolines that represent a constant per capita consumption of metals. The thick line indicates the inverse U-shaped curve that best describes the trends in the different regions as part of a global metal model. (Van Vuuren et al. 2000)




Figure 7.10. Energy Intensity Changes with Changes in per Capita Income for China, India, Japan, and United States. Historical data for the United States since 1800 are shown. Data are converted from domestic currencies using market exchange rates. (Nakićenović et al. 1998)




Figure 7.11. Energy Intensity Changes over Time for China, India, Japan, and United States. Data are converted from domestic currencies using market exchange rates. (Nakićenović et al. 1998)




Figure 7.13. Variations of the Earth's Surface Temperature, 1000–2100. The temperature scale is a departure from the 1990 value. For 1000–1860: variations in average surface temperature of the Northern Hemisphere are shown (corresponding data from the Southern Hemisphere not available) reconstructed from proxy data (tree rings, corals, ice cores, and historical records). The line shows the 50-year average, the grey region the 96% confidence limit in the annual data. For 1860–2000: variations in observations of globally and annually averaged surface temperature from the instrumental record. The line shows the decadal average. For 2000–2100: scenarios and IS92a using a model with average climate sensitivity. The grey region marked “several models all IPCC SRES envelope” shows the range of results from the full range of 35 SRES scenarios in addition to those from a range of models with different climate sensitivities. (IPCC 2002)




Figure 7.14. Past and Future Carbon Dioxide Concentrations. Atmospheric carbon dioxide concentrations from year 1000 to 2000 are from ice core data and from direct atmospheric measurements over the past few decades. Projections of carbon dioxide concentrations for 2000 to 2100 are based on six illustrative IPCC SRES scenarios and IS92a (for comparison with the IPCC Second Assessment Report). (IPCC 2002)




Figure 7.15. Concentration of Greenhouse Gases (IPCC 2002)




Figure 7.16. Trends in Global Consumption of Nitrogen Fertilizers, 1961–2001 (IFA 2004)




Figure 7.18. Trends in Global Consumption of Phosphate Fertilizer, 1961–2002 (IFA 2004)




Figure 7.22. An Overview of the Causative Patterns of Tropical Deforestation (Geist and Lambin 2002)




Figure 8.1. Prime Critical Uncertainties Distinguishing MA Scenarios




Figure 9.3. Global Energy Consumption in MA Scenarios (IMAGE 2.2)




Figure 9.5. Global Greenhouse Gas Emissions in MA Scenarios (IMAGE 2.2)




Figure 9.9. Exceeding of Acidification and Nitrogen Deposition Critical Loads in the Order from Strength and TechnoGarden Scenarios in 2050 (IMAGE 2.2)




Figure 9.12. Change in Precipitation in 2050 Compared with Current Climate under the Global Orchestration Scenario (IMAGE 2.2)




Figure 9.13. Causes of Concern in Third Assessment Report of the IPCC (IPCC 2001)




Figure 9.18. Land Use Patterns in Two Scenarios in 2050. The maps on the left indicate global cover in 2000 and 2050. The maps on the right indicate the cause of changes in land use between 2000 and 2050, including shifts in biome types as a result of climate change. (IMAGE 2.2)





Figure 9.20. Nitrogen Fertilizer Use under Different Scenarios


Temperate cereals



Rice



Maize



Oil crops




Figure 9.28. Crop Yield for the Order from Strength Scenario from 2000 to 2100. Red indicates a significant decrease; yellow for a stable yield; blue signifies a significant increase. (IMAGE 2.2)




Figure 10.10 Potential Plant-Species Diversity as Determined by Climate Patterns. Blue tones represent increases in diversity relative to present, and reddish tones represent decreases in diversity. Potential plant-species diversity represents diversity when ecosystems reach equilibrium with climate. (Millennium Ecosystem Assessment)




Figure 10.11. Species Richness of African Ticks in 2000, at a Resolution of 0.5 Degrees. This map is based on climate-driven estimates of species ranges for 73 of the approximately 240 African species. The numbers in the legend indicate the number of tick species by grid cell. Tick species richness is highest in East Africa, Kenya, and Tanzania. There are pockets of high diversity in the Eastern Highlands of Malawi and Zimbabwe, the Cape, and West Africa; the lowest species richness occurs in the desert areas.




Figure 10.12. Predicted Changes in Tick Species Richness (per one-half degree cell) in Africa by 2100 in MA Scenarios. The number on the legend indicates the number of species that are gained or lost from each grid cell relative to a 2000 baseline estimate.




Figure 10.13. Threat to Natural Ecosystems from Climate Change Following the Biome Approach in the IMAGE 2.2 Model in MA Scenarios




Figure 10.16. Nitrogen Deposition, Sensitivity, and Exceedance of Critical Loads for Order from Strength Scenario in 2050. In these maps for sensitivity, red tones indicate insensitive.




Figure 10.21. Change in Annual Water Availability in Global Orchestration Scenario in 2100. Numbers indicate the location of river basins in Figure 10.20. Shades from grey through red indicate regions that are drying.




Figure 11.1. Changes in Human Well-being and Socioecological Indicators for MA Scenarios, 2000–50. Each axis in the star diagrams on the left represents one of the five human well-being (HWB) components as defined by the MA Conceptual Framework. The area inside the pentagon represents HWB as a whole. The '0' line represents the status of each of these components in 2000. If the yellow line moves more toward the center of the pentagon, this HWB component deteriorates in relative terms between today and 2050; if it moves toward the outer edges of the pentagon it improves. The diagrams on the right show the changes for three indicators representing socioecological variables. The '0' line represents the current status. If the green line moves toward the center of the triangle, the status of the indicator deteriorates in relative terms compared with today; if it moves more toward the outer edges of the triangle it improves.




Figure 11.2. Changes in Currently Industrialized and Developing Countries for Human Well-being Indicators for MA Scenarios, Today–2050. Each axis in the star diagrams on the left represents one of the five human well-being (HWB) components as defined by the MA Conceptual Framework. The area marked by the lines between the arrows represents HWB as a whole. The '0' line represents the status of each of these components today. If the yellow line moves more toward the center of the pentagon, this HWB component deteriorates in relative terms between today and 2050; if it moves toward the outer edges of the pentagon HWB improves.

Appendix B

Authors

Argentina

Ana Parma, Centro Nacional Patagonico
Miguel Pascual, Centro Nacional Patagonico
Marina Gonzalez Polo, Universidad de Buenos Aires
Elda Tancredi, Lujan National University

Australia

Colin Butler, Australian National University
Steven Cork, CSIRO Australia and Land & Water Australia

Austria

Nebojsa Nakićenović, International Institute for Applied Systems
Analysis and Vienna University of Technology
Brian O'Neill, International Institute for Applied Systems Analysis

Brazil

Eduardo Mario Mendiondo, Universidade de São Paulo

Canada

Jacqueline Alder, University of British Columbia
William Wai Lung Cheung, University of British Columbia
Villy Christensen, University of British Columbia
Garry Peterson, McGill University
John Robinson, University of British Columbia
Marguerite A. Xenopoulos, Trent University

China

Shiming Ma, Chinese Academy of Agricultural Sciences

Germany

Joseph Alcamo, University of Kassel
Wolfgang Cramer, Potsdam Institute for Climate Impact Research
Martina Floerke, University of Kassel
Michael Märker, University of Potsdam
Gerhard Petschel-Held, Potsdam Institute for Climate Impact Research
Kerstin Schulze, University of Kassel
Volkmar Wolters, Justus-Liebig-University Giessen

Ghana

Julius Fobil, University of Ghana

Hungary

Eva Hizsnyik, International Institute for Applied Systems Analysis
Ferenc L. Toth, International Atomic Energy Agency

Japan

Toshihiko Masui, National Institute for Environmental Studies
Tsuneyuki Morita,¹ National Institute for Environmental Studies
Kiyoshi Takahashi, National Institute for Environmental Studies

¹ Deceased.

Kenya

Willis Oluoch-Kosura, University of Nairobi

The Netherlands

Lex Bouwman, Netherlands Environment Assessment Agency (MNP/
RIVM)
Bert de Vries, Netherlands Environment Assessment Agency (MNP/
RIVM)
Bas Eickhout, Netherlands Environment Assessment Agency (MNP/
RIVM)
Pavel Kabat, ALTERRA Green World Research
Marja Spierenburg, Free University of Amsterdam
Detlef van Vuuren, Netherlands Environment Assessment Agency
(MNP/RIVM)

New Zealand

Simon Hales, Wellington School of Medicine & Health Sciences

Portugal

Inês Gomes, Faculdade de Ciências da Universidade de Lisboa
Henrique Miguel Pereira, Faculdade de Ciências da Universidade de
Lisboa
Cibele Queiroz, Faculdade de Ciências da Universidade de Lisboa

Russian Federation

Andrei Zaitsev, Institute for the Problems of Ecology and Evolution

Spain

Diana E. Marco, Estación Experimental del Zaidin, CSIC

Trinidad and Tobago

John R. B. Agard, University of the West Indies
Danielle Deane, The Hewlett Foundation

United Kingdom

Joanna House, University of Bristol
Andrew Stott, Department for Environment, Food and Rural Affairs
Paul Wilkinson, London School of Hygiene and Tropical Medicine

United States

T. Douglas Beard Jr., U.S. Geological Survey
Asmeret Asefaw Berhe, University of California-Berkeley
Elena M. Bennett, University of Wisconsin
Stephen R. Carpenter, University of Wisconsin
Edward R. Carr, University of South Carolina
Kenneth G. Cassman, University of Nebraska-Lincoln
Graeme S. Cumming, University of Florida
Ruth DeFries, University of Maryland
Robert Dickinson, Georgia Institute of Technology
Thomas Dietz, Michigan State University

Achim Dobermann, University of Nebraska-Lincoln
Andrew Dobson, Princeton University
Jonathan Foley, University of Wisconsin
Jacqueline Geoghegan, Clark University
Elisabeth Holland, National Center for Atmospheric Research
Anthony Janetos, The H. John Heinz III Center for Science,
Economics, and the Environment
Peter Kareiva, TNC-The Nature Conservancy
Axel Kleidon, University of Maryland
Hillel Koren, University of North Carolina, Chapel Hill, and U.S.
Environmental Protection Agency
Rattan Lal, Ohio State University
Marc Levy, Columbia University
David Lodge, University of Notre Dame
Steven Manson, University of Minnesota
Fran Monks, Washington, DC
Harold Mooney, Stanford University
Gerald C. Nelson, University of Illinois
Richard B. Norgaard, University of California-Berkeley
Dennis Ojima, Colorado State University
Jacob Park, Green Mountain College
Paul Raskin, Tellus Institute/Stockholm Environment Institute

Claudia Ringler, International Food Policy Research Institute
Mark Rosegrant, International Food Policy Research Institute
James A. Rusak, University of Wisconsin
Osvaldo E. Sala, Brown University
Kathryn Saterson, Duke University
B.L. Turner II, Clark University
Diana Wall, Colorado State University
Robert Watson, The World Bank

Venezuela

Jon Paul Rodríguez, Instituto Venezolano de Investigaciones
Científicas

Zambia

Michael Mutale, Department of Water Affairs

International Organizations

Carlos Corvalan, World Health Organization
Jacqueline McGlade, European Environment Agency
Prabhu L. Pingali, Food and Agriculture Organization of the UN
Teresa Ribeiro, European Environment Agency
Monika B. Zurek, Food and Agriculture Organization of the UN

Appendix C

Abbreviations and Acronyms

AI	aridity index	CIFOR	Center for International Forestry Research
AKRSP	Aga Khan Rural Support Programme	CITES	Convention on International Trade in Endangered Species of Wild Fauna and Flora
AMF	arbuscular mycorrhizal fungi	CMS	Convention on the Conservation of Migratory Species of Wild Animals (Bonn Convention)
ASB	alternatives to slash-and-burn	CONICET	Consejo de Investigaciones Científicas y Técnicas (Argentina)
ASOMPH	Asian Symposium on Medicinal Plants, Spices and Other Natural Products	COP	Conference of the Parties (of treaties)
AVHRR	advanced very high resolution radiometer	CPF	Collaborative Partnership on Forests
BCA	benefit-cost analysis	CSIR	Council for Scientific and Industrial Research (South Africa)
BGP	Biogeochemical Province	CV	contingent valuation
BII	Biodiversity Intactness Index	CVM	contingent valuation method
BMI	body mass index	DAF	decision analytical framework
BNF	biological nitrogen fixation	DALY	disability-adjusted life year
BOOT	build-own-operate-transfer	DDT	dichloro diphenyl trichloroethane
BRT	Bus Rapid Transit (Brazil)	DES	dietary energy supply
BSE	bovine spongiform encephalopathy	DHF	dengue hemorrhagic fever
Bt	<i>Bacillus thuringiensis</i>	DHS	demographic and health surveys
C&I	criteria and indicators	DMS	dimethyl sulfide
CAFO	concentrated animal feeding operations	DPSEEA	driving forces-pressure-state-exposure-effect-action
CAP	Common Agricultural Policy (of the European Union)	DPSIR	driver-pressure-state-impact-response
CAREC	Central Asia Regional Environment Centre	DSF	dust storm frequency
CBA	cost-benefit analysis	DU	Dobson Units
CBD	Convention on Biological Diversity	EEA	European Environment Agency
CBO	community-based organization	EEZ	exclusive economic zone
CCAMLR	Commission for the Conservation of Antarctic Marine Living Resources	EGS	ecosystem global scenario
CCN	cloud condensation nuclei	EHI	environmental health indicator
CCS	CO ₂ capture and storage	EIA	environmental impact assessment
CDM	Clean Development Mechanism	EID	emerging infectious disease
CEA	cost-effectiveness analysis	EKC	Environmental Kuznets Curve
CENICAFE	Centro Nacional de Investigaciones de Café (Colombia)	EMF	ectomycorrhizal fungi
CFCs	chlorofluorocarbons		
CGIAR	Consultative Group on International Agricultural Research		

E/MSY	extinctions per million species per year	HWB	human well-being
ENSO	El Niño/Southern Oscillation	IAA	integrated agriculture-aquaculture
EPA	Environmental Protection Agency (United States)	IAM	integrated assessment model
EPI	environmental policy integration	IBI	Index of Biotic Integrity
EU	European Union	ICBG	International Cooperative Biodiversity Groups
EU ETS	European Union Emissions Trading System	ICDP	integrated conservation and development project
FAO	Food and Agriculture Organization (United Nations)	ICJ	International Court of Justice
FAPRI	Food and Agriculture Policy Research Institute	ICRAF	International Center for Research in Agroforestry
FLEGT	Forest Law Enforcement, Governance, and Trade	ICRW	International Convention for the Regulation of Whaling
FRA	Forest Resources Assessment	ICSU	International Council for Science
FSC	Forest Stewardship Council	ICZM	integrated coastal zone management
GATS	General Agreement on Trade and Services	IDRC	International Development Research Centre (Canada)
GATT	General Agreement on Tariffs and Trade	IEA	International Energy Agency
GCM	general circulation model	IEG	international environmental governance
GDI	Gender-related Development Index	IEK	indigenous ecological knowledge
GDP	gross domestic product	IFPRI	International Food Policy Research Institute
GEF	Global Environment Facility	IGBP	International Geosphere-Biosphere Program
GEO	<i>Global Environment Outlook</i>	IIASA	International Institute for Applied Systems Analysis
GHG	greenhouse gases	IK	indigenous knowledge
GIS	geographic information system	ILO	International Labour Organization
GIWA	Global International Waters Assessment	IMF	International Monetary Fund
GLASOD	Global Assessment of Soil Degradation	IMPACT	International Model for Policy Analysis of Agricultural Commodities and Trade
GLC	Global Land Cover	IMR	infant mortality rate
GLOF	Glacier Lake Outburst Flood	INESI	International Network of Sustainability Initiatives (hypothetical, in <i>Scenarios</i>)
GM	genetic modification	INTA	Instituto Nacional de Tecnología Agropecuaria (Argentina)
GMO	genetically modified organism	IPAT	impact of population, affluence, technology
GNI	gross national income	IPCC	Intergovernmental Panel on Climate Change
GNP	gross national product	IPM	integrated pest management
GPS	Global Positioning System	IPR	intellectual property rights
GRoWI	<i>Global Review of Wetland Resources and Priorities for Wetland Inventory</i>	IRBM	integrated river basin management
GSG	Global Scenarios Group	ISEH	International Society for Ecosystem Health
GSPC	Global Strategy for Plant Conservation	ISO	International Organization for Standardization
GtC-eq	gigatons of carbon equivalent	ITPGR	International Treaty on Plant Genetic Resources for Food and Agriculture
GWP	global warming potential	ITQs	individual transferable quotas
HDI	Human Development Index	ITTO	International Tropical Timber Organization
HIA	health impact assessment	IUCN	World Conservation Union
HIPC	heavily indebted poor countries	IUU	illegal, unregulated, and unreported (fishing)
HPI	Human Poverty Index	IVM	integrated vector management
HPS	hantavirus pulmonary syndrome		

IWMI	International Water Management Institute	NGO	nongovernmental organization
IWRM	integrated water resources management	NIH	National Institutes of Health (United States)
JDS	Johannesburg Declaration on Sustainable Development	NMHC	non-methane hydrocarbons
JI	joint implementation	NOAA	National Oceanographic and Atmospheric Administration (United States)
JMP	Joint Monitoring Program	NPP	net primary productivity
LAC	Latin America and the Caribbean	NSSD	national strategies for sustainable development
LAI	leaf area index	NUE	nitrogen use efficiency
LARD	livelihood approaches to rural development	NWFP	non-wood forest product
LDC	least developed country	ODA	official development assistance
LEK	local ecological knowledge	OECD	Organisation for Economic Co-operation and Development
LME	large marine ecosystems	OSB	oriented strand board
LPI	Living Planet Index	OWL	other wooded land
LSMS	Living Standards Measurement Study	PA	protected area
LULUCF	land use, land use change, and forestry	PAH	polycyclic aromatic hydrocarbons
MA	Millennium Ecosystem Assessment	PCBs	polychlorinated biphenyls
MAI	mean annual increments	PEM	protein energy malnutrition
MBI	market-based instruments	PES	payment for environmental (or ecosystem) services
MCA	multicriteria analysis	PFT	plant functional type
MDG	Millennium Development Goal	PNG	Papua New Guinea
MEA	multilateral environmental agreement	POPs	persistent organic pollutants
MENA	Middle East and North Africa	PPA	participatory poverty assessment
MER	market exchange rate	ppb	parts per billion
MHC	major histocompatibility complex	PPI	potential Pareto improvement
MICS	multiple indicator cluster surveys	ppm	parts per million
MIT	Massachusetts Institute of Technology	ppmv	parts per million by volume
MPA	marine protected area	PPP	purchasing power parity; also public-private partnership
MSVPA	multispecies virtual population analysis	ppt	parts per thousand
NAP	National Action Program (of desertification convention)	PQLI	Physical Quality of Life Index
NBP	net biome productivity	PRA	participatory rural appraisal
NCD	noncommunicable disease	PRSP	Poverty Reduction Strategy Paper
NCS	National Conservation Strategy	PSE	producer support estimate
NCSD	national council for sustainable development	PVA	population viability analysis
NDVI	normalized difference vegetation index	RANWA	Research and Action in Natural Wealth Administration
NE	effective size of a population	RBO	river basin organization
NEAP	national environmental action plan	RIDES	Recursos e Investigación para el Desarrollo Sustentable (Chile)
NEP	new ecological paradigm; also net ecosystem productivity	RIL	reduced impact logging
NEPAD	New Partnership for Africa's Development	RLI	Red List Index
NFAP	National Forestry Action Plan	RO	reverse osmosis
NFP	national forest programs		

RRA	rapid rural appraisal	TSU	Technical Support Unit
RUE	rain use efficiency	TW	terawatt
SADC	Southern African Development Community	UMD	University of Maryland
SADCC	Southern African Development Coordination Conference	UNCCD	United Nations Convention to Combat Desertification
SAFMA	Southern African Millennium Ecosystem Assessment	UNCED	United Nations Conference on Environment and Development
SAP	structural adjustment program	UNCLOS	United Nations Convention on the Law of the Sea
SAR	species-area relationship	UNDP	United Nations Development Programme
SARS	severe acute respiratory syndrome	UNECE	United Nations Economic Commission for Europe
SBSTTA	Subsidiary Body on Scientific, Technical and Technological Advice (of CBD)	UNEP	United Nations Environment Programme
SEA	strategic environmental assessment	UNESCO	United Nations Educational, Scientific and Cultural Organization
SEME	simple empirical models for eutrophication	UNFCCC	United Nations Framework Convention on Climate Change
SES	social-ecological system	UNIDO	United Nations Industrial Development Organization
SFM	sustainable forest management	UNRO	United Nations Regional Organization (hypothetical body, in <i>Scenarios</i>)
SIDS	small island developing states	UNSO	UNDP's Office to Combat Desertification and Drought
SMS	safe minimum standard	USAID	U.S. Agency for International Development
SOM	soil organic matter	USDA	U.S. Department of Agriculture
SRES	Special Report on Emissions Scenarios (of the IPCC)	VOC	volatile organic compound
SSC	Species Survival Commission (of IUCN)	VW	virtual water
SWAP	sector-wide approach	WBCSD	World Business Council for Sustainable Development
TAC	total allowable catch	WCD	World Commission on Dams
TBT	tributyltin	WCED	World Commission on Environment and Development
TC	travel cost	WCMC	World Conservation Monitoring Centre (of UNEP)
TCM	travel cost method	WFP	World Food Programme
TDR	tradable development rights	WHO	World Health Organization
TDS	total dissolved solids	WIPO	World Intellectual Property Organization
TEIA	transboundary environmental impact assessment	WISP	weighted index of social progress
TEK	traditional ecological knowledge	WMO	World Meteorological Organization
TEM	terrestrial ecosystem model	WPI	Water Poverty Index
TESEO	Treaty Enforcement Services Using Earth Observation	WRF	white rot fungi
TEV	total economic value	WSSD	World Summit on Sustainable Development
TFAP	Tropical Forests Action Plan	wta	withdrawals-to-availability ratio (of water)
TFP	total factor productivity	WTA	willingness to accept compensation
TFR	total fertility rate	WTO	World Trade Organization
Tg	teragram (10 ¹² grams)	WTP	willingness to pay
TK	traditional knowledge	WWAP	World Water Assessment Programme
TMDL	total maximum daily load	WWF	World Wide Fund for Nature
TOF	trees outside of forests	WWV	World Water Vision
TRIPS	Trade-Related Aspects of Intellectual Property Rights		

Glossary

Abatement cost: See *Marginal abatement cost*.

Abundance: The total number of individuals of a taxon or taxa in an area, population, or community. Relative abundance refers to the total number of individuals of one taxon compared with the total number of individuals of all other taxa in an area, volume, or community.

Active adaptive management: See *Adaptive management*.

Adaptation: Adjustment in natural or human systems to a new or changing environment. Various types of adaptation can be distinguished, including anticipatory and reactive adaptation, private and public adaptation, and autonomous and planned adaptation.

Adaptive capacity: The general ability of institutions, systems, and individuals to adjust to potential damage, to take advantage of opportunities, or to cope with the consequences.

Adaptive management: A systematic process for continually improving management policies and practices by learning from the outcomes of previously employed policies and practices. In active adaptive management, management is treated as a deliberate experiment for purposes of learning.

Afforestation: Planting of forests on land that has historically not contained forests. (Compare *Reforestation*.)

Agrobiodiversity: The diversity of plants, insects, and soil biota found in cultivated systems.

Agroforestry systems: Mixed systems of crops and trees providing wood, non-wood forest products, food, fuel, fodder, and shelter.

Albedo: A measure of the degree to which a surface or object reflects solar radiation.

Alien species: Species introduced outside its normal distribution.

Alien invasive species: See *Invasive alien species*.

Aquaculture: Breeding and rearing of fish, shellfish, or plants in ponds, enclosures, or other forms of confinement in fresh or marine waters for the direct harvest of the product.

Benefits transfer approach: Economic valuation approach in which estimates obtained (by whatever method) in one context are used to estimate values in a different context.

Binding constraints: Political, social, economic, institutional, or ecological factors that rule out a particular response.

Biodiversity (a contraction of biological diversity): The variability among living organisms from all sources, including terrestrial, marine, and other aquatic ecosystems and the ecological complexes of which they are part. Biodiversity includes diversity within species, between species, and between ecosystems.

Biodiversity regulation: The regulation of ecosystem processes and services by the different components of biodiversity.

Biogeographic realm: A large spatial region, within which ecosystems share a broadly similar biota. Eight terrestrial biogeographic realms are typically recognized, corresponding roughly to continents (e.g., Afrotropical realm).

Biological diversity: See *Biodiversity*.

Biomass: The mass of tissues in living organisms in a population, ecosystem, or spatial unit.

Biome: The largest unit of ecological classification that is convenient to recognize below the entire globe. Terrestrial biomes are typically based on dominant vegetation structure (e.g., forest, grassland). Ecosystems within a biome function in a broadly similar way, although

they may have very different species composition. For example, all forests share certain properties regarding nutrient cycling, disturbance, and biomass that are different from the properties of grasslands. Marine biomes are typically based on biogeochemical properties. The WWF biome classification is used in the MA.

Bioprospecting: The exploration of biodiversity for genetic and biochemical resources of social or commercial value.

Biotechnology: Any technological application that uses biological systems, living organisms, or derivatives thereof to make or modify products or processes for specific use.

Biotic homogenization: Process by which the differences between biotic communities in different areas are on average reduced.

Blueprint approaches: Approaches that are designed to be applicable in a wider set of circumstances and that are not context-specific or sensitive to local conditions.

Boundary organizations: Public or private organizations that synthesize and translate scientific research and explore its policy implications to help bridge the gap between science and decision-making.

Bridging organizations: Organizations that facilitate, and offer an arena for, stakeholder collaboration, trust-building, and conflict resolution.

Capability: The combinations of doings and beings from which people can choose to lead the kind of life they value. Basic capability is the capability to meet a basic need.

Capacity building: A process of strengthening or developing human resources, institutions, organizations, or networks. Also referred to as capacity development or capacity enhancement.

Capital value (of an ecosystem): The present value of the stream of ecosystem services that an ecosystem will generate under a particular management or institutional regime.

Capture fisheries: See *Fishery*.

Carbon sequestration: The process of increasing the carbon content of a reservoir other than the atmosphere.

Cascading interaction: See *Trophic cascade*.

Catch: The number or weight of all fish caught by fishing operations, whether the fish are landed or not.

Coastal system: Systems containing terrestrial areas dominated by ocean influences of tides and marine aerosols, plus nearshore marine areas. The inland extent of coastal ecosystems is the line where land-based influences dominate, up to a maximum of 100 kilometers from the coastline or 100-meter elevation (whichever is closer to the sea), and the outward extent is the 50-meter-depth contour. See also *System*.

Collaborative (or joint) forest management: Community-based management of forests, where resource tenure by local communities is secured.

Common pool resource: A valued natural or human-made resource or facility in which one person's use subtracts from another's use and where it is often necessary but difficult to exclude potential users from the resource. (Compare *Common property resource*.)

Common property management system: The institutions (i.e., sets of rules) that define and regulate the use rights for common pool resources. Not the same as an open access system.

Common property resource: A good or service shared by a well-defined community. (Compare *Common pool resource*.)

- Community (ecological):** An assemblage of species occurring in the same space or time, often linked by biotic interactions such as competition or predation.
- Community (human, local):** A collection of human beings who have something in common. A local community is a fairly small group of people who share a common place of residence and a set of institutions based on this fact, but the word 'community' is also used to refer to larger collections of people who have something else in common (e.g., national community, donor community).
- Condition of an ecosystem:** The capacity of an ecosystem to yield services, relative to its potential capacity.
- Condition of an ecosystem service:** The capacity of an ecosystem service to yield benefits to people, relative to its potential capacity.
- Constituents of well-being:** The experiential aspects of well-being, such as health, happiness, and freedom to be and do, and, more broadly, basic liberties.
- Consumptive use:** The reduction in the quantity or quality of a good available for other users due to consumption.
- Contingent valuation:** Economic valuation technique based on a survey of how much respondents would be willing to pay for specified benefits.
- Core dataset:** Data sets designated to have wide potential application throughout the Millennium Ecosystem Assessment process. They include land use, land cover, climate, and population data sets.
- Cost-benefit analysis:** A technique designed to determine the feasibility of a project or plan by quantifying its costs and benefits.
- Cost-effectiveness analysis:** Analysis to identify the least cost option that meets a particular goal.
- Critically endangered species:** Species that face an extremely high risk of extinction in the wild. See also *Threatened species*.
- Cross-scale feedback:** A process in which effects of some action are transmitted from a smaller spatial extent to a larger one, or vice versa. For example, a global policy may constrain the flexibility of a local region to use certain response options to environmental change, or a local agricultural pest outbreak may affect regional food supply.
- Cultivar** (a contraction of cultivated variety): A variety of a plant developed from a natural species and maintained under cultivation.
- Cultivated system:** Areas of landscape or seascape actively managed for the production of food, feed, fiber, or biofuels.
- Cultural landscape:** See *Landscape*.
- Cultural services:** The nonmaterial benefits people obtain from ecosystems through spiritual enrichment, cognitive development, reflection, recreation, and aesthetic experience, including, e.g., knowledge systems, social relations, and aesthetic values.
- Decision analytical framework:** A coherent set of concepts and procedures aimed at synthesizing available information to help policy-makers assess consequences of various decision options. DAFs organize the relevant information in a suitable framework, apply decision criteria (both based on some paradigms or theories), and thus identify options that are better than others under the assumptions characterizing the analytical framework and the application at hand.
- Decision-maker:** A person whose decisions, and the actions that follow from them, can influence a condition, process, or issue under consideration.
- Decomposition:** The ecological process carried out primarily by microbes that leads to a transformation of dead organic matter into inorganic matter.
- Deforestation:** Conversion of forest to non-forest.
- Degradation of an ecosystem service:** For *provisioning services*, decreased production of the service through changes in area over which the services is provided, or decreased production per unit area. For *regulating* and *supporting services*, a reduction in the benefits obtained from the service, either through a change in the service or through human pressures on the service exceeding its limits. For *cultural services*, a change in the ecosystem features that decreases the cultural benefits provided by the ecosystem.
- Degradation of ecosystems:** A persistent reduction in the capacity to provide ecosystem services.
- Desertification:** land degradation in drylands resulting from various factors, including climatic variations and human activities.
- Determinants of well-being:** Inputs into the production of well-being, such as food, clothing, potable water, and access to knowledge and information.
- Direct use value** (of ecosystems): The benefits derived from the services provided by an ecosystem that are used directly by an economic agent. These include consumptive uses (e.g., harvesting goods) and nonconsumptive uses (e.g., enjoyment of scenic beauty). Agents are often physically present in an ecosystem to receive direct use value. (Compare *Indirect use value*.)
- Disability-adjusted life years:** The sum of years of life lost due to premature death and illness, taking into account the age of death compared with natural life expectancy and the number of years of life lived with a disability. The measure of number of years lived with the disability considers the duration of the disease, weighted by a measure of the severity of the disease.
- Diversity:** The variety and relative abundance of different entities in a sample.
- Driver:** Any natural or human-induced factor that directly or indirectly causes a change in an ecosystem.
- Driver, direct:** A driver that unequivocally influences ecosystem processes and can therefore be identified and measured to differing degrees of accuracy. (Compare *Driver, indirect*.)
- Driver, endogenous:** A driver whose magnitude can be influenced by the decision-maker. Whether a driver is exogenous or endogenous depends on the organizational scale. Some drivers (e.g., prices) are exogenous to a decision-maker at one level (a farmer) but endogenous at other levels (the nation-state). (Compare *Driver, exogenous*.)
- Driver, exogenous:** A driver that cannot be altered by the decision-maker. (Compare *Driver, endogenous*.)
- Driver, indirect:** A driver that operates by altering the level or rate of change of one or more direct drivers. (Compare *Driver, direct*.)
- Drylands:** See *Dryland system*.
- Dryland system:** Areas characterized by lack of water, which constrains the two major interlinked services of the system: primary production and nutrient cycling. Four dryland subtypes are widely recognized: dry sub-humid, semiarid, arid, and hyperarid, showing an increasing level of aridity or moisture deficit. See also *System*.
- Ecological character:** See *Ecosystem properties*.
- Ecological degradation:** See *Degradation of ecosystems*.
- Ecological footprint:** An index of the area of productive land and aquatic ecosystems required to produce the resources used and to assimilate the wastes produced by a defined population at a specified material standard of living, wherever on Earth that land may be located.
- Ecological security:** A condition of ecological safety that ensures access to a sustainable flow of provisioning, regulating, and cultural services needed by local communities to meet their basic capabilities.
- Ecological surprises:** unexpected—and often disproportionately large—consequence of changes in the abiotic (e.g., climate, disturbance) or biotic (e.g., invasions, pathogens) environment.
- Ecosystem:** A dynamic complex of plant, animal, and microorganism communities and their non-living environment interacting as a functional unit.
- Ecosystem approach:** A strategy for the integrated management of land, water, and living resources that promotes conservation and sustainable use. An ecosystem approach is based on the application of appropriate scientific methods focused on levels of biological organization, which encompass the essential structure, processes, functions, and interactions among organisms and their environment. It recognizes that humans, with their cultural diversity, are an integral component of many ecosystems.
- Ecosystem assessment:** A social process through which the findings of science concerning the causes of ecosystem change, their consequences for human well-being, and management and policy options are brought to bear on the needs of decision-makers.
- Ecosystem boundary:** The spatial delimitation of an ecosystem, typically based on discontinuities in the distribution of organisms, the biophysical environment (soil types, drainage basins, depth in a

- water body), and spatial interactions (home ranges, migration patterns, fluxes of matter).
- Ecosystem change:** Any variation in the state, outputs, or structure of an ecosystem.
- Ecosystem function:** See *Ecosystem process*.
- Ecosystem interactions:** Exchanges of materials, energy, and information within and among ecosystems.
- Ecosystem management:** An approach to maintaining or restoring the composition, structure, function, and delivery of services of natural and modified ecosystems for the goal of achieving sustainability. It is based on an adaptive, collaboratively developed vision of desired future conditions that integrates ecological, socioeconomic, and institutional perspectives, applied within a geographic framework, and defined primarily by natural ecological boundaries.
- Ecosystem process:** An intrinsic ecosystem characteristic whereby an ecosystem maintains its integrity. Ecosystem processes include decomposition, production, nutrient cycling, and fluxes of nutrients and energy.
- Ecosystem properties:** The size, biodiversity, stability, degree of organization, internal exchanges of materials, energy, and information among different pools, and other properties that characterize an ecosystem. Includes ecosystem functions and processes.
- Ecosystem resilience:** See *Resilience*.
- Ecosystem resistance:** See *Resistance*.
- Ecosystem robustness:** See *Ecosystem stability*.
- Ecosystem services:** The benefits people obtain from ecosystems. These include *provisioning services* such as food and water; *regulating services* such as flood and disease control; *cultural services* such as spiritual, recreational, and cultural benefits; and *supporting services* such as nutrient cycling that maintain the conditions for life on Earth. The concept “ecosystem goods and services” is synonymous with ecosystem services.
- Ecosystem stability** (or ecosystem robustness): A description of the dynamic properties of an ecosystem. An ecosystem is considered stable or robust if it returns to its original state after a perturbation, exhibits low temporal variability, or does not change dramatically in the face of a perturbation.
- Elasticity:** A measure of responsiveness of one variable to a change in another, usually defined in terms of percentage change. For example, own-price elasticity of demand is the percentage change in the quantity demanded of a good for a 1% change in the price of that good. Other common elasticity measures include supply and income elasticity.
- Emergent disease:** Diseases that have recently increased in incidence, impact, or geographic range; that are caused by pathogens that have recently evolved; that are newly discovered; or that have recently changed their clinical presentation.
- Emergent property:** A phenomenon that is not evident in the constituent parts of a system but that appears when they interact in the system as a whole.
- Enabling conditions:** Critical preconditions for success of responses, including political, institutional, social, economic, and ecological factors.
- Endangered species:** Species that face a very high risk of extinction in the wild. See also *Threatened species*.
- Endemic (in ecology):** A species or higher taxonomic unit found only within a specific area.
- Endemic (in health):** The constant presence of a disease or infectious agent within a given geographic area or population group; may also refer to the usual prevalence of a given disease within such area or group.
- Endemism:** The fraction of species that is endemic relative to the total number of species found in a specific area.
- Epistemology:** The theory of knowledge, or a “way of knowing.”
- Equity:** Fairness of rights, distribution, and access. Depending on context, this can refer to resources, services, or power.
- Eutrophication:** The increase in additions of nutrients to freshwater or marine systems, which leads to increases in plant growth and often to undesirable changes in ecosystem structure and function.
- Evapotranspiration:** See *Transpiration*.
- Existence value:** The value that individuals place on knowing that a resource exists, even if they never use that resource (also sometimes known as conservation value or passive use value).
- Exotic species:** See *Alien species*.
- Externality:** A consequence of an action that affects someone other than the agent undertaking that action and for which the agent is neither compensated nor penalized through the markets. Externalities can be positive or negative.
- Feedback:** See *Negative feedback*, *Positive feedback*, and *Cross-scale feedback*.
- Fishery:** A particular kind of fishing activity, e.g., a trawl fishery, or a particular species targeted, e.g., a cod fishery or salmon fishery.
- Fish stock:** See *Stock*.
- Fixed nitrogen:** See *Reactive nitrogen*.
- Flyway:** Areas of the world used by migratory birds in moving between breeding and wintering grounds.
- Forest systems:** Systems in which trees are the predominant life forms. Statistics reported in this assessment are based on areas that are dominated by trees (perennial woody plants taller than five meters at maturity), where the tree crown cover exceeds 10%, and where the area is more than 0.5 hectares. “Open forests” have a canopy cover between 10% and 40%, and “closed forests” a canopy cover of more than 40%. “Fragmented forests” refer to mosaics of forest patches and non-forest land. See also *System*.
- Freedom:** The range of options a person has in deciding the kind of life to lead.
- Functional diversity:** The value, range, and relative abundance of traits present in the organisms in an ecological community.
- Functional redundancy** (= functional compensation): A characteristic of ecosystems in which more than one species in the system can carry out a particular process. Redundancy may be total or partial—that is, a species may not be able to completely replace the other species or it may compensate only some of the processes in which the other species are involved.
- Functional types** (= functional groups = guilds): Groups of organisms that respond to the environment or affect ecosystem processes in a similar way. Examples of plant functional types include nitrogen-fixer versus non-fixer, stress-tolerant versus ruderal versus competitor, resprouter versus seeder, deciduous versus evergreen. Examples of animal functional types include granivorous versus fleshy-fruit eater, nocturnal versus diurnal predator, browser versus grazer.
- Geographic information system:** A computerized system organizing data sets through a geographical referencing of all data included in its collections.
- Globalization:** The increasing integration of economies and societies around the world, particularly through trade and financial flows, and the transfer of culture and technology.
- Global scale:** The geographical realm encompassing all of Earth.
- Governance:** The process of regulating human behavior in accordance with shared objectives. The term includes both governmental and nongovernmental mechanisms.
- Health, human:** A state of complete physical, mental, and social well-being and not merely the absence of disease or infirmity. The health of a whole community or population is reflected in measurements of disease incidence and prevalence, age-specific death rates, and life expectancy.
- High seas:** The area outside of national jurisdiction, i.e., beyond each nation’s Exclusive Economic Zone or other territorial waters.
- Human well-being:** See *Well-being*.
- Income poverty:** See *Poverty*.
- Indicator:** Information based on measured data used to represent a particular attribute, characteristic, or property of a system.
- Indigenous knowledge** (or local knowledge): The knowledge that is unique to a given culture or society.
- Indirect interaction:** Those interactions among species in which a species, through direct interaction with another species or modification of resources, alters the abundance of a third species with which it is not directly interacting. Indirect interactions can be trophic or nontrophic in nature.

- Indirect use value:** The benefits derived from the goods and services provided by an ecosystem that are used indirectly by an economic agent. For example, an agent at some distance from an ecosystem may derive benefits from drinking water that has been purified as it passed through the ecosystem. (Compare *Direct use value*.)
- Infant mortality rate:** Number of deaths of infants aged 0–12 months divided by the number of live births.
- Inland water systems:** Permanent water bodies other than salt-water systems on the coast, seas and oceans. Includes rivers, lakes, reservoirs wetlands and inland saline lakes and marshes. See also *System*.
- Institutions:** The rules that guide how people within societies live, work, and interact with each other. Formal institutions are written or codified rules. Examples of formal institutions would be the constitution, the judiciary laws, the organized market, and property rights. Informal institutions are rules governed by social and behavioral norms of the society, family, or community. Also referred to as organizations.
- Integrated coastal zone management:** Approaches that integrate economic, social, and ecological perspectives for the management of coastal resources and areas.
- Integrated conservation and development projects:** Initiatives that aim to link biodiversity conservation and development.
- Integrated pest management:** Any practices that attempt to capitalize on natural processes that reduce pest abundance. Sometimes used to refer to monitoring programs where farmers apply pesticides to improve economic efficiency (reducing application rates and improving profitability).
- Integrated responses:** Responses that address degradation of ecosystem services across a number of systems simultaneously or that also explicitly include objectives to enhance human well-being.
- Integrated river basin management:** Integration of water planning and management with environmental, social, and economic development concerns, with an explicit objective of improving human welfare.
- Interventions:** See *Responses*.
- Intrinsic value:** The value of someone or something in and for itself, irrespective of its utility for people.
- Invasibility:** Intrinsic susceptibility of an ecosystem to be invaded by an alien species.
- Invasive alien species:** An alien species whose establishment and spread modifies ecosystems, habitats, or species.
- Irreversibility:** The quality of being impossible or difficult to return to, or to restore to, a former condition. See also *Option value*, *Precautionary principle*, *Resilience*, and *Threshold*.
- Island systems:** Lands isolated by surrounding water, with a high proportion of coast to hinterland. The degree of isolation from the mainland in both natural and social aspects is accounted by the *isola effect*. See also *System*.
- Isola effect:** Environmental issues that are unique to island systems. This uniqueness takes into account the physical seclusion of islands as isolated pieces of land exposed to marine or climatic disturbances with a more limited access to space, products, and services when compared with most continental areas, but also includes subjective issues such as the perceptions and attitudes of islanders themselves.
- Keystone species:** A species whose impact on the community is disproportionately large relative to its abundance. Effects can be produced by consumption (trophic interactions), competition, mutualism, dispersal, pollination, disease, or habitat modification (nontrophic interactions).
- Land cover:** The physical coverage of land, usually expressed in terms of vegetation cover or lack of it. Related to, but not synonymous with, *land use*.
- Landscape:** An area of land that contains a mosaic of ecosystems, including human-dominated ecosystems. The term cultural landscape is often used when referring to landscapes containing significant human populations or in which there has been significant human influence on the land.
- Land use:** The human use of a piece of land for a certain purpose (such as irrigated agriculture or recreation). Influenced by, but not synonymous with, *land cover*.
- Length of growing period:** The total number of days in a year during which rainfall exceeds one half of potential evapotranspiration. For boreal and temperate zone, growing season is usually defined as a number of days with the average daily temperature that exceeds a definite threshold, such as 10° Celsius.
- Local knowledge:** See *Indigenous knowledge*.
- Mainstreaming:** Incorporating a specific concern, e.g. sustainable use of ecosystems, into policies and actions.
- Malnutrition:** A state of bad nourishment. Malnutrition refers both to undernutrition and overnutrition, as well as to conditions arising from dietary imbalances leading to diet-related noncommunicable diseases.
- Marginal abatement cost:** The cost of abating an incremental unit of, for instance, a pollutant.
- Marine system:** Marine waters from the low-water mark to the high seas that support marine capture fisheries, as well as deepwater (>50 meters) habitats. Four sub-divisions (marine biomes) are recognized: the coastal boundary zone; trade-winds; westerlies; and polar.
- Market-based instruments:** Mechanisms that create a market for ecosystem services in order to improving the efficiency in the way the service is used. The term is used for mechanisms that create new markets, but also for responses such as taxes, subsidies, or regulations that affect existing markets.
- Market failure:** The inability of a market to capture the correct values of ecosystem services.
- Mitigation:** An anthropogenic intervention to reduce negative or unsustainable uses of ecosystems or to enhance sustainable practices.
- Mountain system:** High-altitude (greater than 2,500 meters) areas and steep mid-altitude (1,000 meters at the equator, decreasing to sea level where alpine life zones meet polar life zones at high latitudes) areas, excluding large plateaus.
- Negative feedback:** Feedback that has a net effect of dampening perturbation.
- Net primary productivity:** See *Production, biological*.
- Non-linearity:** A relationship or process in which a small change in the value of a driver (i.e., an independent variable) produces an disproportionate change in the outcome (i.e., the dependent variable). Relationships where there is a sudden discontinuity or change in rate are sometimes referred to as abrupt and often form the basis of thresholds. In loose terms, they may lead to unexpected outcomes or “surprises.”
- Nutrient cycling:** The processes by which elements are extracted from their mineral, aquatic, or atmospheric sources or recycled from their organic forms, converting them to the ionic form in which biotic uptake occurs and ultimately returning them to the atmosphere, water, or soil.
- Nutrients:** The approximately 20 chemical elements known to be essential for the growth of living organisms, including nitrogen, sulfur, phosphorus, and carbon.
- Open access resource:** A good or service over which no property rights are recognized.
- Opportunity cost:** The benefits forgone by undertaking one activity instead of another.
- Option value:** The value of preserving the option to use services in the future either by oneself (option value) or by others or heirs (bequest value). Quasi-option value represents the value of avoiding irreversible decisions until new information reveals whether certain ecosystem services have values society is not currently aware of.
- Organic farming:** Crop and livestock production systems that do not make use of synthetic fertilizers, pesticides, or herbicides. May also include restrictions on the use of transgenic crops (genetically modified organisms).
- Pastoralism, pastoral system:** The use of domestic animals as a primary means for obtaining resources from habitats.
- Perturbation:** An imposed movement of a system away from its current state.

- Polar system:** Treeless lands at high latitudes. Includes Arctic and Antarctic areas, where the polar system merges with the northern boreal forest and the Southern Ocean respectively. See also *System*.
- Policy failure:** A situation in which government policies create inefficiencies in the use of goods and services.
- Policy-maker:** A person with power to influence or determine policies and practices at an international, national, regional, or local level.
- Pollination:** A process in the sexual phase of reproduction in some plants caused by the transportation of pollen. In the context of ecosystem services, pollination generally refers to animal-assisted pollination, such as that done by bees, rather than wind pollination.
- Population, biological:** A group of individuals of the same species, occupying a defined area, and usually isolated to some degree from other similar groups. Populations can be relatively reproductively isolated and adapted to local environments.
- Population, human:** A collection of living people in a given area. (Compare *Community (human, local)*.)
- Positive feedback:** Feedback that has a net effect of amplifying perturbation.
- Poverty:** The pronounced deprivation of well-being. Income poverty refers to a particular formulation expressed solely in terms of per capita or household income.
- Precautionary principle:** The management concept stating that in cases “where there are threats of serious or irreversible damage, lack of full scientific certainty shall not be used as a reason for postponing cost-effective measures to prevent environmental degradation,” as defined in the Rio Declaration.
- Prediction (or forecast):** The result of an attempt to produce a most likely description or estimate of the actual evolution of a variable or system in the future. See also *Projection* and *Scenario*.
- Primary production:** See *Production, biological*.
- Private costs and benefits:** Costs and benefits directly felt by individual economic agents or groups as seen from their perspective. (Externalities imposed on others are ignored.) Costs and benefits are valued at the prices actually paid or received by the group, even if these prices are highly distorted. Sometimes termed “financial” costs and benefits. (Compare *Social costs and benefits*.)
- Probability distribution:** A distribution that shows all the values that a random variable can take and the likelihood that each will occur.
- Production, biological:** Rate of biomass produced by an ecosystem, generally expressed as biomass produced per unit of time per unit of surface or volume. Net primary productivity is defined as the energy fixed by plants minus their respiration.
- Production, economic:** Output of a system.
- Productivity, biological:** See *Production, biological*.
- Productivity, economic:** Capacity of a system to produce high levels of output or responsiveness of the output of a system to inputs.
- Projection:** A potential future evolution of a quantity or set of quantities, often computed with the aid of a model. Projections are distinguished from “predictions” in order to emphasize that projections involve assumptions concerning, for example, future socioeconomic and technological developments that may or may not be realized; they are therefore subject to substantial uncertainty.
- Property rights:** The right to specific uses, perhaps including exchange in a market, of ecosystems and their services.
- Provisioning services:** The products obtained from ecosystems, including, for example, genetic resources, food and fiber, and fresh water.
- Public good:** A good or service in which the benefit received by any one party does not diminish the availability of the benefits to others, and where access to the good cannot be restricted.
- Reactive nitrogen (or fixed nitrogen):** The forms of nitrogen that are generally available to organisms, such as ammonia, nitrate, and organic nitrogen. Nitrogen gas (or dinitrogen), which is the major component of the atmosphere, is inert to most organisms.
- Realm:** Used to describe the three major types of ecosystems on earth: terrestrial, freshwater, and marine. Differs fundamentally from *biogeographic realm*.
- Reforestation:** Planting of forests on lands that have previously contained forest but have since been converted to some other use. (Compare *Afforestation*.)
- Regime shift:** A rapid reorganization of an ecosystem from one relatively stable state to another.
- Regulating services:** The benefits obtained from the regulation of ecosystem processes, including, for example, the regulation of climate, water, and some human diseases.
- Relative abundance:** See *Abundance*.
- Reporting unit:** The spatial or temporal unit at which assessment or analysis findings are reported. In an assessment, these units are chosen to maximize policy relevance or relevance to the public and thus may differ from those upon which the analyses were conducted (e.g., analyses conducted on mapped ecosystems can be reported on administrative units). See also *System*.
- Resilience:** The level of disturbance that an ecosystem can undergo without crossing a threshold to a situation with different structure or outputs. Resilience depends on ecological dynamics as well as the organizational and institutional capacity to understand, manage, and respond to these dynamics.
- Resistance:** The capacity of an ecosystem to withstand the impacts of drivers without displacement from its present state.
- Responses:** Human actions, including policies, strategies, and interventions, to address specific issues, needs, opportunities, or problems. In the context of ecosystem management, responses may be of legal, technical, institutional, economic, and behavioral nature and may operate at various spatial and time scales.
- Riparian:** Something related to, living on, or located at the banks of a watercourse, usually a river or stream.
- Safe minimum standard:** A decision analytical framework in which the benefits of ecosystem services are assumed to be incalculable and should be preserved unless the costs of doing so rise to an intolerable level, thus shifting the burden of proof to those who would convert them.
- Salinization:** The buildup of salts in soils.
- Scale:** The measurable dimensions of phenomena or observations. Expressed in physical units, such as meters, years, population size, or quantities moved or exchanged. In observation, scale determines the relative fineness and coarseness of different detail and the selectivity among patterns these data may form.
- Scenario:** A plausible and often simplified description of how the future may develop, based on a coherent and internally consistent set of assumptions about key driving forces (e.g., rate of technology change, prices) and relationships. Scenarios are neither predictions nor projections and sometimes may be based on a “narrative storyline.” Scenarios may include projections but are often based on additional information from other sources.
- Security:** Access to resources, safety, and the ability to live in a predictable and controllable environment.
- Service:** See *Ecosystem services*.
- Social costs and benefits:** Costs and benefits as seen from the perspective of society as a whole. These differ from private costs and benefits in being more inclusive (all costs and benefits borne by some member of society are taken into account) and in being valued at social opportunity cost rather than market prices, where these differ. Sometimes termed “economic” costs and benefits. (Compare *Private costs and benefits*.)
- Social incentives:** Measures that lower transaction costs by facilitating trust-building and learning as well as rewarding collaboration and conflict resolution. Social incentives are often provided by bridging organizations.
- Socioecological system:** An ecosystem, the management of this ecosystem by actors and organizations, and the rules, social norms, and conventions underlying this management. (Compare *System*.)
- Soft law:** Non-legally binding instruments, such as guidelines, standards, criteria, codes of practice, resolutions, and principles or declarations, that states establish to implement national laws.
- Soil fertility:** The potential of the soil to supply nutrient elements in the quantity, form, and proportion required to support optimum plant growth. See also *Nutrients*.

Speciation: The formation of new species.

Species: An interbreeding group of organisms that is reproductively isolated from all other organisms, although there are many partial exceptions to this rule in particular taxa. Operationally, the term *species* is a generally agreed fundamental taxonomic unit, based on morphological or genetic similarity, that once described and accepted is associated with a unique scientific name.

Species diversity: Biodiversity at the species level, often combining aspects of species richness, their relative abundance, and their dissimilarity.

Species richness: The number of species within a given sample, community, or area.

Statistical variation: Variability in data due to error in measurement, error in sampling, or variation in the measured quantity itself.

Stock (in fisheries): The population or biomass of a fishery resource. Such stocks are usually identified by their location. They can be, but are not always, genetically discrete from other stocks.

Stoichiometry, ecological: The relatively constant proportions of the different nutrients in plant or animal biomass that set constraints on production. Nutrients only available in lower proportions are likely to limit growth.

Storyline: A narrative description of a scenario, which highlights its main features and the relationships between the scenario's driving forces and its main features.

Strategies: See *Responses*.

Streamflow: The quantity of water flowing in a watercourse.

Subsidiarity, principle of: The notion of devolving decision-making authority to the lowest appropriate level.

Subsidy: Transfer of resources to an entity, which either reduces the operating costs or increases the revenues of such entity for the purpose of achieving some objective.

Subsistence: An activity in which the output is mostly for the use of the individual person doing it, or their family, and which is a significant component of their livelihood.

Subspecies: A population that is distinct from, and partially reproductively isolated from, other populations of a species but that has not yet diverged sufficiently that interbreeding is impossible.

Supporting services: Ecosystem services that are necessary for the production of all other ecosystem services. Some examples include biomass production, production of atmospheric oxygen, soil formation and retention, nutrient cycling, water cycling, and provisioning of habitat.

Sustainability: A characteristic or state whereby the needs of the present and local population can be met without compromising the ability of future generations or populations in other locations to meet their needs.

Sustainable use (of an ecosystem): Human use of an ecosystem so that it may yield a continuous benefit to present generations while maintaining its potential to meet the needs and aspirations of future generations.

Symbiosis: Close and usually obligatory relationship between two organisms of different species, not necessarily to their mutual benefit.

Synergy: When the combined effect of several forces operating is greater than the sum of the separate effects of the forces.

System: In the Millennium Ecosystem Assessment, reporting units that are ecosystem-based but at a level of aggregation far higher than that usually applied to ecosystems. Thus the system includes many component ecosystems, some of which may not strongly interact with each other, that may be spatially separate, or that may be of a different type to the ecosystems that constitute the majority, or matrix, of the system overall. The system includes the social and economic systems that have an impact on and are affected by the ecosystems included within it. For example, the Condition and Trend Working Group refers to "forest systems," "cultivated systems," "mountain systems," and so on. Systems thus defined are not mutually exclusive, and are permitted to overlap spatially or conceptually. For instance, the "cultivated system" may include areas of "dryland system" and vice versa.

Taxon (pl. taxa): The named classification unit to which individuals or sets of species are assigned. Higher taxa are those above the species

level. For example, the common mouse, *Mus musculus*, belongs to the Genus *Mus*, the Family Muridae, and the Class Mammalia.

Taxonomy: A system of nested categories (*taxa*) reflecting evolutionary relationships or morphological similarity.

Tenure: See *Property rights*, although also sometimes used more specifically in reference to the temporal dimensions and security of property rights.

Threatened species: Species that face a high (*vulnerable species*), very high (*endangered species*), or extremely high (*critically endangered species*) risk of extinction in the wild.

Threshold: A point or level at which new properties emerge in an ecological, economic, or other system, invalidating predictions based on mathematical relationships that apply at lower levels. For example, species diversity of a landscape may decline steadily with increasing habitat degradation to a certain point, then fall sharply after a critical threshold of degradation is reached. Human behavior, especially at group levels, sometimes exhibits threshold effects. Thresholds at which irreversible changes occur are especially of concern to decision-makers. (Compare *Non-linearity*.)

Time series data: A set of data that expresses a particular variable measured over time.

Total economic value framework: A widely used framework to disaggregate the components of utilitarian value, including *direct use value*, *indirect use value*, *option value*, quasi-option value, and *existence value*.

Total factor productivity: A measure of the aggregate increase in efficiency of use of inputs. TFP is the ratio of the quantity of output divided by an index of the amount of inputs used. A common input index uses as weights the share of the input in the total cost of production.

Total fertility rate: The number of children a woman would give birth to if through her lifetime she experienced the set of age-specific fertility rates currently observed. Since age-specific rates generally change over time, TFR does not in general give the actual number of births a woman alive today can be expected to have. Rather, it is a synthetic index meant to measure age-specific birth rates in a given year.

Trade-off: Management choices that intentionally or otherwise change the type, magnitude, and relative mix of services provided by ecosystems.

Traditional ecological knowledge: The cumulative body of knowledge, practices, and beliefs evolved by adaptive processes and handed down through generations. TEK may or may not be indigenous or local, but it is distinguished by the way in which it is acquired and used, through the social process of learning and sharing knowledge. (Compare *Indigenous knowledge*.)

Traditional knowledge: See *Traditional ecological knowledge*.

Traditional use: Exploitation of natural resources by indigenous users or by nonindigenous residents using traditional methods. Local use refers to exploitation by local residents.

Transpiration: The process by which water is drawn through plants and returned to the air as water vapor. Evapotranspiration is combined loss of water to the atmosphere via the processes of evaporation and transpiration.

Travel cost methods: Economic valuation techniques that use observed costs to travel to a destination to derive demand functions for that destination.

Trend: A pattern of change over time, over and above short-term fluctuations.

Trophic cascade: A chain reaction of top-down interactions across multiple trophic levels. These occur when changes in the presence or absence (or shifts in abundance) of a top predator alter the production at several lower trophic levels. Such positive indirect effects of top predators on lower trophic levels are mediated by the consumption of mid-level consumers (generally herbivores).

Trophic level: The average level of an organism within a food web, with plants having a trophic level of 1, herbivores 2, first-order carnivores 3, and so on.

Umbrella species: Species that have either large habitat needs or other requirements whose conservation results in many other species being conserved at the ecosystem or landscape level.

- Uncertainty:** An expression of the degree to which a future condition (e.g., of an ecosystem) is unknown. Uncertainty can result from lack of information or from disagreement about what is known or even knowable. It may have many types of sources, from quantifiable errors in the data to ambiguously defined terminology or uncertain projections of human behavior. Uncertainty can therefore be represented by quantitative measures (e.g., a range of values calculated by various models) or by qualitative statements (e.g., reflecting the judgment of a team of experts).
- Urbanization:** An increase in the proportion of the population living in urban areas.
- Urban systems:** Built environments with a high human population density. Operationally defined as human settlements with a minimum population density commonly in the range of 400 to 1,000 persons per square kilometer, minimum size of typically between 1,000 and 5,000 people, and maximum agricultural employment usually in the vicinity of 50–75%. See also *System*.
- Utility:** In economics, the measure of the degree of satisfaction or happiness of a person.
- Valuation:** The process of expressing a value for a particular good or service in a certain context (e.g., of decision-making) usually in terms of something that can be counted, often money, but also through methods and measures from other disciplines (sociology, ecology, and so on). See also *Value*.
- Value:** The contribution of an action or object to user-specified goals, objectives, or conditions. (Compare *Valuation*.)
- Value systems:** Norms and precepts that guide human judgment and action.
- Voluntary measures:** Measures that are adopted by firms or other actors in the absence of government mandates.
- Vulnerability:** Exposure to contingencies and stress, and the difficulty in coping with them. Three major dimensions of vulnerability are involved: exposure to stresses, perturbations, and shocks; the sensitivity of people, places, ecosystems, and species to the stress or perturbation, including their capacity to anticipate and cope with the stress; and the resilience of the exposed people, places, ecosystems, and species in terms of their capacity to absorb shocks and perturbations while maintaining function.
- Vulnerable species:** Species that face a high risk of extinction in the wild. See also *Threatened species*.
- Water scarcity:** A water supply that limits food production, human health, and economic development. Severe scarcity is taken to be equivalent to 1,000 cubic meters per year per person or greater than 40% use relative to supply.
- Watershed** (also catchment basin): The land area that drains into a particular watercourse or body of water. Sometimes used to describe the dividing line of high ground between two catchment basins.
- Water stress:** See *Water scarcity*.
- Well-being:** A context- and situation-dependent state, comprising basic material for a good life, freedom and choice, health and bodily well-being, good social relations, security, peace of mind, and spiritual experience.
- Wetlands:** Areas of marsh, fen, peatland, or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed six meters. May incorporate riparian and coastal zones adjacent to the wetlands and islands or bodies of marine water deeper than six meters at low tide laying within the wetlands.
- Wise use** (of an ecosystem): Sustainable utilization for the benefit of humankind in a way compatible with the maintenance of the natural properties of the ecosystem

Index

Italic page numbers refer to Figures, Tables, and Boxes. Bold page numbers refer to the Summary.

A

Acidification, 318–320, 396, 397, 404, 526
 RAINS (Regional Acidification Information and Simulation) model, 104, 319
Adapting Mosaic scenario, 244–254
 agricultural intensification, 333–335
 agricultural uncertainty, 344
 air pollution, 316–318, 476–477
 benefits and risks of, 138, 138, 245, 286, 457
 biochemical discoveries, 354
 biodiversity, **13**, 265, 377
 climate change, 389–391
 combined threats, 477
 freshwater biodiversity, 392–398
 habitat loss, 381–387, 476, 502
 marine biodiversity, 398–401
 overexploitation, 476, 502
 terrestrial biodiversity, 384–392
 biofuels, 344
 biological pest and disease control, 360
 child malnutrition, 338
 climate change, 276, 320–322, 355, 389–391, 499
 coastal protection, 359
 community response strategies and options, 505, 509
 crop area and livestock numbers growth, 365–366
 cultural drivers of change, 195
 cultural services, 423
 diseases, emerging, 270–271
 drylands, 267, 487–491
 economic development, 308–309
 energy use and production, 313
 erosion risk, 356–358
 eutrophication, 277
 extreme events, 140
 fertility rates, 305
 fertilizer use, 328–330
 fish consumption and production, 340–343
 fisheries, 274–275
 food demand, 333
 food production, 332, 501
 forest area, future of, **11**, **11**, 325
 freshwater resources, 346–353
 genetic resources, 353–354
 governmental policy, 474
 greenhouse gas emissions, 315, 463
 Gulf of Mexico hypoxia, 279–283
 human well-being, 427, 456, 457, 474
 community implications, 503–504
 freedom and choice, 269, 422
 health, 269, 418
 material needs, 267–269, 414–415
 social relations and security, 269, 421
 invasive species, 278
 involuntary parks, creation of, 261
 irrigation area growth, 336
 irrigation efficiency, 367
 land use or land cover change, 323–327
 migration rates, 305
 mining and fossil fuel extraction, 330
 mortality rates, 305
 NGOs and, 508, 509
 outcomes for ecosystem services and human well-being (2050 compared with 2000), **9**
 policy-making for, 474
 pollination, 359–360
 population size, 305–307
 private-sector response strategies and options, 513
 proactive policies of, 227, 436, 456
 provisioning and regulating services, 362–363, 423
 purpose of, **4–5**, **5–6**, 121
 significance difference in storyline for, 228
 sociopolitical drivers of change, 312
 South African perspective, 252–254
 supporting ecosystem services, 360
 surprise, 365, 424–425
 synopses of, 121, 134–135, 225
 technology, 310–311
 trade and food prices, 337–338
 trade-offs between ecosystem services, 437–438, 474
 transitioning into another scenario, 141, 141–142
 trends of country groups, 255
 water purification, 358–359
 wetlands, 265, 267, 484–487
 years 2000–15, 245–247
 civil society's growth, 246
 economic struggles, 247
 education, 246–247
 managing ecosystems, 247
 years 2015–30, 247–250
 ecosystem services, 248–250
 rise of regions, 248
 years 2030–50, 250–252
 civil societies, 251–252
 disruptions in global commons, 251, 251
 free global trade, 250–251, 251
 year 2050, 252–254
Aging of population, 306–307
Agriculture
 climate change and, 335–337
 crop area and livestock numbers growth, 365–366

 crop yield improvement, 366
 diversification, role of, **5**
 ecological problems confronting, 23
 fertilizer use. *See* Fertilizers, application of
 Gulf of Mexico, 279–283, 282–283
 hybridization, 197
 income from, 183
 intensification of, 213, 333–335, 336, 343, 476
 inverse relationship with water quality, 435
 land conversion, 208–209
 livestock slaughtered weight, 366
 productivity increase, 367
 technology and, 196–199, 197
 uncertainty of estimates, 343–344
Agriculture Towards 2030 (FAO), 328
AIDS. *See* HIV/AIDS
AIM models. *See* Asia-Pacific Integrated Model
Air pollution emissions, 315–318, 316–318, 476–477
Amazon forest, 79
Annan, Kofi, 22
Asia-Pacific Integrated Model (AIM), 106, 154,
 161–163, 164–166
Australia dryland salinization, 442, 444

B

Bamboo production and rats, 56
Bennett's law, 183
"Best case" scenario not offered, 457, 472
Bioaccumulation, 56
Biochemical discoveries, 354
Bioclimatic envelope approach, 85
Biodiversity, future of, **12–13**, **13**
 climate change as cause of loss, 389–391, 391, 393,
 462, 477
 community implications, 504
 comparison across scenarios, 265, 266, 375–408
 conversion of land, effect on, **13–14**, 458
 disturbance and resilience, 127
 ecosystem services and, 25, 127, 378, 402–404, 405
 eutrophication and. *See* Eutrophication
 forecasting changes in, 84–87
 freshwater, 392–398
 intervention opportunities, 402
 invasive species. *See* Invasive species
 marine, 398–401
 Millennium Development Goals and, 438
 modeling changes in, 154–155, 454
 NGOs and, 506–507
 plants. *See* Terrestrial biodiversity
 population viability analyses, 85, 86–87

- Biodiversity (*continued*)
 private-sector implications, 511
 species-area relationship and, 85, 86
 substitutions, feasibility of, 28
 terrestrial, 380–392
 threat analyses approaches, 85, 86, 475–477, 476
 tourism's effect on, 190
 trade-off with land use, 435–436
- Bioengineering, 458, 464
- Biofuels, 344, 345, 423
- Biological invasions. *See* Invasive species
- Biological pest and disease control, 360
- Biome 3 model, 84
- Bonaire fisheries and tourism, 439–440, 446
- Bovine spongiform encephalitis, 53
- C**
- Cairo Program of Action, 178
- Carbon dioxide. *See* Greenhouse gas emissions
- Caribbean
 fisheries and tourism, 439–440
 no-take zones, 440–441
- Caribbean Sea Sub-global Assessment, 214
- Catastrophic change in ecosystems, 126
- CBD. *See* Convention on Biological Diversity
- Central Africa
 as hot spot region, 363
 comparison across scenarios, 363
- Central Asia and drivers of land use change, 210
- Central North Pacific model for marine biodiversity, 399, 400–401
- Central Planning Bureau of the Netherlands, 37
- Chernobyl, 261
- Chestnut trees, 402
- Child malnutrition, 10, 10, 338, 339, 368, 423, 499
- China
 economic acceleration in, 308
 energy intensity improvement rates of, 187
 fertilizer use and trends in, 205
 flood control in, 57, 441–442
 food consumption trends in, 183
 forestry policy of, 51
 invasive species from, due to trade, 402
 population policy of, 178
- Chytridiomycosis, 211
- Civil society. *See also* Community implications
 health and, 416
 in Adapting Mosaic scenario, 246, 251–252
- Climate change, 49, 520
 agricultural yields and, 335–337
 as driver of change, 175, 199–202, 301
 biodiversity loss and, 389–391, 391, 393, 462, 477
 comparison across scenarios, 202, 275–276, 276, 320–322, 321, 389–391, 499, 532
 deforestation and, 79
 ecosystem consequences of, 201–202
 existing projections of, 201
 greenhouse gases and aerosol precursors, 200–201
 integrated assessment models and, 105–106
 land cover change and, 77–81
 migration and, 181
 observed changes in, 199–200
 path-dependency and irreversibility based on human activities, 462
 regulation across scenarios, 355
 soil erosion and, 357
- Club of Rome, 103
- Coastal ecosystems
 comparison across scenarios, 271, 273, 359
 decision-support approach, 99–100
 forecasting impacts on, 98–101
 nowcast/forecast modeling, 99, 100
- Cod fishing, 412
- Command and control, 59, 60
- Commensalism, 209–210
- Community implications, 461, 472, 502–506, 503
 biodiversity, 502, 504
 human health and well-being, 503–505
 interactions between communities, NGOs, and other response actors, 509–510
 other ecosystem services, 504
 priorities for near-term and long-term community responses, 504–505
 provisioning and regulating ecosystem services, 502–503
 response strategies and options by scenario, 505–506
- Conceptual framework of ecosystem assessment, 22–33, 26
 assessment tools, 31–32
 cross-scale interactions and, 29–30
 drivers of change and, 29
 ecosystems and their services, 25–28
 human well-being as focus of, 25
 poverty and, 28–29
 reporting categories used in, 27
 statement of problem, 23–25
 strategies and interventions, 32–33
 values associated with ecosystems, 30–31, 31
- Conflict. *See* War and conflicts, effect of
- Consultative Group on International Agricultural Research, 197
- Consumption patterns and structural transformation, 183–184, 184
- Contraceptive use, 178
- Control. *See* Socioeconomic context of ecology
- Convention on Biological Diversity (CBD), 22, 199, 474–481
 ecosystem approach endorsed by, 25
 prospects for, 377, 471, 477–480
 2010 target, 387, 477–478, 479–480
 response strategies beyond 2010, 478–480, 481–484
 request for information from, xiii
 scenarios usefulness to, 460
 threats to biodiversity in scenarios, 475–477, 476
 climate change, 477
 combined threats, 477
 Convention Scorecard, 266
 habitat transformation, 476
 overexploitation, 476
 pollution, 476–477
- Convention on Migratory Species, xiii, 22
- Convention to Combat Desertification, 22, 487–491
 changes in dryland areas, 488
 Convention Scorecard on threats to biodiversity in scenarios, 266
 prospects for, 471, 489–491, 489–491
 request for information from, xiii
 risk of desertification, 487–489
 scenarios' usefulness to, 460
- Creutzfeldt-Jakob disease, 53
- Crops. *See* Agriculture
- Cross-cutting comparisons among scenarios, 265–283, 456
 acidification, 318–320, 526
 agriculture
 hypoxia in Gulf of Mexico and, 279–283
 uncertainty and, 343–344
 air pollution emissions, 315–318, 316–318
 biochemical discoveries, 354
 biodiversity, 265, 266, 375–408
 biofuels, 344, 345
 biological pest and disease control, 360
 child malnutrition, 338, 339
 climate change, 275–276, 276, 320–322, 321, 355, 532
 coastal protection, 359
 Convention Scorecard, 266
 crop area and livestock numbers growth, 365–366
 cultural services, 360–361, 361
 drivers, 361–362
 drylands, 267, 487–491
 economic development, 308–309, 309
 emerging diseases, 269–271
 energy use and production, 312–313, 312–313, 525
 erosion risk, 356–357, 356–358
 eutrophication, 276–277, 526
 fertilizer use, 327–330, 328–330, 529
 fish consumption and production, 339–342, 341
 fisheries, 271–275, 369
 food production, 331–338, 501
 freshwater biodiversity, 392–398
 freshwater resources, 344–353, 346–349
 genetic resources, 353–354
 greenhouse gas emissions, 314–315, 315, 525
 Gulf of Mexico agriculture and hypoxia, 279–283
 human well-being, 267–269, 409–429, 426, 456, 474, 535–536
 invasive species, 277–279, 401–402
 irrigation efficiency, 366–367
 land use or land cover change, 322–327, 324–327, 528
 mining and fossil fuel extraction, 330
 ornamental resources, 354
 outcomes for ecosystem services and human well-being (2050 compared with 2000), 9
 pollination, 359–360
 population size, 305–306
 private-sector response strategies and options, 512, 512–513, 514
 provisioning services, 330–354, 362–363
 regulating services, 354–360, 362–363
 sea level rise, 322, 323
 sociopolitical drivers of change, 312
 supporting ecosystem services, 360

- surprise, 364–365, 424–425
 technology, 310–311, 311
 terrestrial biodiversity, 384–392
 trade and food prices, 337–338, 338
 trade-offs between ecosystem services, 363–364, 433, 436–438, 437, 474
 uncertainty, 364–365
 urbanization, 279
 water purification, 358–359
 wetlands, 265–267
- Cross-scale interactions, 29–30, 48, 50, 226, 287, 451
 Cultural and religious drivers of change, 194–195, 312.
See also Sociopolitical drivers of change
- Cultural services
 comparison across scenarios, 360–361, 361
 defined, xiii, 25
 human well-being and, 416, 423–424
 poorly quantified in modeling, 433
 trade-offs involving, 438
- Cumulative feedbacks, 50
- D**
- DDT, 62
- Decision-making process
 drivers of change and, 29
 public participation in, 28, 191–192
 scenarios to aid in, 450, 459–461
 strategies and interventions in, 32–33
 trade-offs and, 433, 434–435
- Deforestation, 524. *See also* Land cover change
 as driver of change, 207–208
 causes of, 212–213
 climate change and, 79
 spread of disease and, 53
- Demilitarized Zone between North and South Korea, 261
- Democracy. *See* Public participation in decision-making
- Demographic drivers, 176–182, 304–307. *See also* Population growth
- Desertification Convention. *See* Convention to Combat Desertification
- Desertification problems, 11, 462–463. *See also* Drylands
- Development of scenarios, 2–10, 37, 39–40, 145–172.
See also Modeling
 background, 147–148
 consistent set of model inputs, 152–153
 elements of, 148
 flow chart of, 6
 global and sub-global, 150–151, 151, 450
 global modeling exercise for, 152–155, 153
 lessons learned from, 452–454. *See also* Lessons learned from scenario analysis
 linkages between models, 153–154, 154
 linkages between spatial and temporal scales, 150–151, 151, 453
 multiscale scenario development in sub-global assessments, 170–171, 171
 organizational steps, 149–150
 overview of procedure for, 148–151, 149
 qualitative and quantitative information in, 147, 148
- storylines for, 148, 150, 151–152, 453, 464–465
 synthesis, review and dissemination, 150
 uncertainty and, 155–156, 156, 364–365
- DICE model, 106
- Diet. *See* Food demand and production
- Direct drivers. *See* Drivers of change
- Disaggregation. *See* Regional disaggregation
- Diseases. *See* Infectious diseases
- Dispute resolution, 192
- Disturbance
 in ecosystem dynamics, 127, 139–140, 139–140
 island biogeography and, 55–56
- Diversity of species. *See* Biodiversity, future of
- Drinking water quality, 358–359, 446, 493
- Drivers of change, 29, 173–222, 297–373
 climate change, 199–202, 301, 320–322
 cultural and religious drivers, 194–195, 312
 defined, 29, 175, 176
 degree of quantification of, 304
 demographic drivers, 175, 176–182, 304–307
 direct drivers, 7–10, 8–9, 29, 176, 199–212, 314–330
 economic drivers, 175, 182–191
 indirect drivers, 7–10, 8–9, 29, 176–199, 304–314, 314
 interactions among drivers and ecosystems, 29, 212–214
 land conversion, 207–209
 land use, 212–213, 300
 plant nutrient use, 202–207
 private stakeholders and, 511
 scenarios and, 125–126, 361–362
 science and technology drivers, 195–199
 sociopolitical drivers, 191–194, 312
- Drylands. *See also* Convention to Combat Desertification
 defined, 208
 degradation of, 11–12, 208
 salinization in Australia, 442, 444
- E**
- Ecological engineering, 446–447
 TechnoGarden scenario and, 136–137
- Ecology
 defined, 52
 theories important for scenarios from, 52–59
- Economic drivers of change, 4, 175, 182–191
 changes in economic sectors by selected countries, 184
 consumption patterns and structural transformation, 183–184, 184
 determinants of economic growth and development, 186
 distribution and globalization, 184–185
 economic distortions, 185–186
 ecosystem consequences of, 187–189
 energy and materials intensity for productivity, 186–187, 188
 in scenarios, 191, 307–309, 309
 per capita GDP growth, 184, 185, 186, 307
 tourism and the environment, 189–191, 190
- Economics and ecology, 62
- Economy
 in scenarios, 230, 284, 456–457
 income. *See* Income growth
 integrated assessment models and, 105–106
 liberalization, effect of, 4, 175
 national security and, 500
- Ecopath with Ecosim. *See* EwE (Ecopath with Ecosim) software
- Ecosystem approach, 25
- Ecosystem feedbacks, 47, 49–50, 50
- Ecosystem function and species abundance, 403, 404
- Ecosystem management, 59–62
 changes in human behavior and, 458
 concentrating on single level of control, disadvantages of, 226
 differences in scenarios due to, 6, 121–122
 economics and, 62–64
 human well-being and, 286
 neglect of slow changes leading to increased susceptibility to large, rapid changes, 6, 443–444
 political ecology and, 63–64
 proactive or anticipatory, 7, 7, 227, 436, 456
 reactive, 227, 436, 456
 uncertainty and, 60
- Ecosystem services. *See also* Cultural services;
 Provisioning services; Regulating services
 biodiversity and, 25, 127, 378, 402–404, 405
 breakdowns in scenarios, 139–140, 139–140
 cautions about quantitative models, 445
 characteristics of trade-offs, 442, 442–445
 choice of ecosystem trade-offs, 443
 slowly changing factors, 6, 443–444
 spatial trade-offs, 444–445
 temporal trade-offs, 444
 unknown and unanticipated trade-offs, 443
 complex and cascading effects of trade-offs, 447
 defined, xiii, 23
 dilemmas in decisions, 445–447
 future assessments of, 15–16, 450–451
 future of, 10–12, 48, 122
 human services balanced with, 446
 in conceptual framework, 25–28
 interactions among, 431–448
 linkage with human well-being, 24, 456
 scenarios focusing on, 3, 119–143
 supporting urban areas, 279
 trade-offs of. *See* Trade-offs
 transitions among scenarios, 140–142, 141
 types by geographic area, xiv
 values associated with, 30–31, 31, 63
- Ecosystems
 boundaries for, 25
 catastrophic change in, 126
 contrasts among, 3
 defined, xiii, 23, 52
 envisioning future for, 2
 importance of, 47
 simplification of, 446
 types by geographic area, xiv
- Ecotourism, 24
- Ecuador and aquaculture, 47

- Education
Adapting Mosaic scenario, 246–247
as sociopolitical driver, 192
- El Niño–Southern Oscillation (ENSO), 58, 96
- Endangered Species Act (U.S.), 63
- Endangered species in Demilitarized Zone between North and South Korea, 261
- Energy
biofuels, 344
integrated assessment models and, 105–106
intensity changes, 519
Millennium Development Goals and, 493
productivity and, 186–187, 188
use and production, 312–313, 312–313, 525
- Engel's law, 183
- ENSO (El Niño–Southern Oscillation), 58, 96
- Environmental Kuznets Curve, 51, 126, 187–188
- Environmental Outlook* (OECD), 41
- Environmental refugees, 181
- Erosion. *See* Soil degradation
- Euphrates–Tigris Integrated Watershed Management Project in Adapting Mosaic scenario, 249
- European colonization and spread of disease, 53
- European Union (EU) food production and demand projections, 82
- Eutrophication, 318–320, 533
biodiversity loss and, 391–392, 395–397, 463
comparison across scenarios, 276–277, 526
models to predict ecosystem and policy-relevant impacts, 88–89, 90
- Evolutionary theory, 52, 58
- EW (Ecopath with Ecosim) software, 368
description of, 163–166, 167–169
- Extinction of local species. *See* Biodiversity, future of
- Extreme events. *See also* Disturbance; Surprise
differences in scenarios due to, 6, 6–7, 139–140, 139–140, 286–287, 287
- F**
- Failed states, 260
- FAO. *See* Food and Agriculture Organization
- FAPRI (Food and Agriculture Policy Research Institute), 81–83. *See also* IMPACT (International Model for Policy Analysis of Agricultural Commodities and Trade) model
- Feedbacks. *See specific type*
- Fertility changes, 178–179, 182, 305
- Fertilizers, application of
as driver of change, 175, 202–207
ecosystem consequences of, 28, 205–206
in scenarios, 207, 327–330
nitrogen use and trends, 202–203, 202–204, 205–206, 327–330, 328–330, 523, 529
phosphorus use and trends, 204, 204–205, 206, 523
potassium use and trends, 205, 205, 206
effect on waters, 13, 14, 440
technology and, 197, 198, 199
U.S. farmland and effect on water resources, 440, 443
- Fish and fisheries
biodiversity losses in, 377, 394, 394–398
comparison across scenarios, 271–275, 272–273, 338–343, 341–342, 369
forecasting changes in populations and harvest, 94–98, 368
multispecies approaches, 95–96
single-species approaches, 94–95
uncertainty analysis and, 96–97
future demand for, 10–11, 23, 301, 338–343
lobster fishing in Maine, 441
mangrove destruction and loss of coastal fisheries, 47
MSY applications to fisheries, 60
no-take zones in St. Lucia, 440–441
Order from Strength scenario, 244
overfishing, effect of, 463
reorganization due to introduction of shrimp, 54
technology and, 199
- Flood control in China, 57, 441–442
- Florida Keys and white pox disease, 211
- Food and Agriculture Organization (FAO), 81–83, 193, 208, 209, 324
Agriculture Towards 2030 (AT 2030), 328
- Food and Agriculture Policy Research Institute (FAPRI), 81–83. *See also* IMPACT (International Model for Policy Analysis of Agricultural Commodities and Trade) model
- Food demand and production. *See also* Food security
changes projected in scenarios, 331–338, 332–333, 423, 501
dietary preferences and, 53, 300, 334–335
income-related, 183–184, 500
modeling for, 367–368
trade-offs and, 436
forecasting changes in, 81–84
- Food security
affordability of food and, 343
future demand for, 10, 301, 494
government concern for, 500–501
soil erosion and, 357–358
- Food webs, 56, 89
- Forecasting, 57–58. *See also* Modeling; Scenarios
biodiversity and extinction, 84–87
coastal ecosystems, 98–101
fish populations and harvest, 94–98
food demand and supply, 81–84
human health, 101–102
land cover and use, 74–76
impact on local and regional climates, 77–81
nitrogen cycle, 90–94
water quality and phosphorus cycling, 87–90
- Forest area. *See also* Deforestation
China's policy on, 51
future of, 11, 11, 325
property rights, effect of, 63
Tanzania common forest resources, 415
- Fossil fuel use, 330
- Fragmentation, 57, 474. *See also* Order from Strength scenario
- Freedom of choice and human well-being, 28, 269, 421–422
- Freshwater biodiversity, 392–398
acidification and, 395–397
description of Freshwater Biodiversity Model, 169–170, 170
development of, 155
effects of drivers and human well-being, 398
eutrophication and, 395–397
forecasting loss, 394–395
hot spots and Ramsar sites, 397–398
multiple drivers and interactions, 398
qualitative approaches to forecasting change, 395
qualitative results for fish biodiversity, 396–398
quantitative results for fish biodiversity, 396, 397
temperature and, 396
- Fuel. *See* Biofuels; Energy
- FUND model, 106
- Future assessments of ecosystem services, 15–16, 450–451
- Future of ecosystem services. *See* Sustainability and the future
- G**
- Gender equality and Millennium Development Goals, 493
- Genetic resources, 353–354
- Genetically modified organisms, 197–198, 257, 458
- Global Assessment of Soil Degradation (GLASOD), 208
- Global Environment Outlook (UNEP), 40, 106, 148, 328
- Global Ocean Observatory Laboratory, 99
- Global Ocean Observing System, 99
- Global Orchestration scenario, 230–237
agricultural intensification, 333–335
agricultural uncertainty, 344
air pollution, 316–318, 476–477
benefits and risks of, 137–138, 138, 230, 286, 456
biochemical discoveries, 354
biodiversity, 265
climate change, 389–391, 477
combined threats, 477
freshwater biodiversity, 392–398
habitat loss, 381–387, 476, 502
marine biodiversity, 398–401
overexploitation, 476, 502
terrestrial biodiversity, 384–392
- biofuels, 344
biological pest and disease control, 360
branch points for, 232
child malnutrition, 338
climate change, 275–276, 355, 389–391, 462, 499
coastal protection, 271, 359
community response strategies and options, 505, 509
crop area and livestock numbers growth, 365–366
cultural services, 423
diseases, emerging, 269–270
drylands, 267, 487–491
economic development, 308–309, 456
energy use and production, 313
erosion risk, 356–358
eutrophication, 277
extreme events, 140
fertility rates, 305
fertilizer use, 328–330
fish consumption and production, 339–343

- fisheries, 271–273
 food demand, 332–333
 food production, 331–332, 501
 freshwater resources, 346–353, 534
 genetic resources, 353–354
 government commitment to solving problems, 473
 greenhouse gas emissions, 315, 463
 Gulf of Mexico hypoxia, 279–283
 human well-being, 425, 456, 474
 community implications, 503–504
 freedom and choice, 269, 421–422
 health, 132, 269, 417
 material needs, 267–269, 413–414
 social relations and security, 269, 420
 invasive species, 277
 involuntary parks, creation of, 261
 irrigation area growth, 336
 irrigation efficiency, 367
 land use or land cover change, 323–327
 migration rates, 305
 mining and fossil fuel extraction, 330
 mortality rates, 305
 NGOs and, 508, 510
 outcomes for ecosystem services and human well-being (2050 compared with 2000), 9
 policy-making for, 473
 pollination, 359–360
 population size, 305–307
 private-sector response strategies and options, 512
 provisioning and regulating services, 362–363, 423
 purpose of, 4, 4–5, 121
 reactive policies of, 227, 436, 456
 sea level rise, 322
 sociopolitical drivers of change, 312
 South African perspective and, 237
 supporting ecosystem services, 360
 surprise, 365, 424–425
 synopses of, 121, 126, 128, 129–133, 225
 technology, 310–311
 trade and food prices, 337–338
 trade-offs between ecosystem services, 363, 444, 474
 transitioning into another scenario, 140–141, 141, 427
 uncertainty of, 456
 water purification, 358–359
 wetlands, 267, 484–487
 years 2000–15, 230–233
 environmental issues, 233
 global connectedness, 231
 legacy of twentieth century, 230–231
 promising developments, 232
 social and economic policy, 231–232
 years 2015–30, 233–235
 agriculture, 234–235
 global equity, 234
 global health concerns, 233–234
 greening of attitudes, 234
 increased globalization through diversity, 233
 new trade order, 234
 years 2030–50, 235–236
 benefits and risks, 235–236
 intellectual property, 235
 years 2050–2100, 236–237
- Global Scenario Group (GSG), 40, 41, 42, 43, 148
 Global Strategy for Plant Conservation, 475
 Globalization
 economic drivers of change and, 184–185
 human well-being and global cooperation, 225
 international policies and agreements for integrated ecosystem management, 459, 499
 Millennium Development Goals and global partnerships, 493
 regional disaggregation and, 39
 scenarios focusing on, 121, 126, 128. *See also* Global Orchestration scenario
 Governmental implications. *See* National government implications
 Great Lakes water quality and biological invaders, 441
 Green Revolution for food crops, 197, 198
 Green technology, investment in, 5, 136–137
 Greenhouse gas emissions. *See also* Climate change forecasting changes in, 90–94, 200–201, 201, 463, 521
 in scenarios, 10, 314–315, 462, 525
 land cover change and, 79
 observed changes in, 200, 521–522
 GSG. *See* Global Scenario Group
 Guerilla warfare, 425
 Gulf of Mexico agriculture and hypoxia, 279–283, 282–283, 440, 444
 Gulf of Thailand
 fish landings, 340, 341
 marine biodiversity model, 399, 399–400
 species turnover in, 199
 Gulf War (1991), 193
 GUMBO model, 104, 105
- H**
 Habitat loss
 community overexploitation and, 502
 local species loss due to, 12–13, 13, 377, 384–385, 385–386, 393, 476, 502
 vascular plant loss due to, 385–387, 387–389
 Health, human. *See* Human well-being
 Hierarchy theory, 52–54, 58
 Historical perspective for scenarios, 35–44
 after 1995, 40–42, 41–42
 ecology overlooked in, 25
 major studies, 40–42
 modeling-based scenarios (prior to 1995), 38
 narrative-based scenarios, 38, 43
 past as prelude, 42–43, 450
 present-day scenarios, 37, 39–40
 prior to 1995, 37, 38
 HIV/AIDS, 180, 211, 228, 493
 Horizontal integration, 103
 Hotspot regions
 comparison across scenarios, 363
 freshwater biodiversity, 397–398
 Human behavior
 changes for better ecosystem management, 458
 cultural and religious drivers of, 194–195
 in scenarios, 152
 Human well-being
 as focus of ecosystem assessment, 25
 community implications, 503–505
 comparison across scenarios, 267–269, 268, 286, 409–429, 426, 456, 474, 535–536
 defined, 23
 ecological surprises and, 424
 forecasting impacts on, 101–102
 freedom and choice, 28, 269, 421–422
 future of, 14–15, 16, 47
 global cooperation and, 225
 health, 28, 269, 416–419
 linkage with ecosystem services, 24, 456
 material needs, 28, 267–269, 413–416
 NGOs and, 506, 507
 poverty reduction and, 28–29
 risk, vulnerability, and social coping ability, 412–413
 social relations and security, 269, 419–421
 social surprises and, 411, 412, 424–425
 vulnerability and, 424–425
 war's effect on, 193
 Hunger. *See* Food security; Malnutrition rates
 Millennium Development Goals to eradicate. *See* Millennium Development Goals
 Hybridization, 197
 Hypoxia. *See* Gulf of Mexico agriculture and hypoxia
 Hysteresis or path-dependency, 462
- I**
 IAMs. *See* Integrated assessment models
 ICAM model, 106
 IFPRI (International Food Policy Research Institute), 81–83
 Ignorance, 39
 IIASA (International Institute for Applied Systems Analysis), 304
 IMAGE (Integrated Model to Assess the Global Environment) model, 41, 42, 84, 106, 153–154
 description of, 157–158, 158–159
 terrestrial biodiversity and, 380
 Immigration, 180–181, 182
 agricultural employment and, 198
 assumptions in scenarios, 305
 IMPACT (International Model for Policy Analysis of Agricultural Commodities and Trade) model, 82–83, 153–154
 description of, 158–160, 160–161
 malnutrition rates, 368
 productivity growth, 367
 Income growth, 175, 517–519
 effect of, 183
 in scenarios, 229
 pollution abatement and, 187
 Incremental learning, 61
 India
 bamboo production and rats in, 56
 food consumption trends in, 183–184
 in Adapting Mosaic scenario, 248
 in Global Orchestration scenario, 236
 in Order from Strength scenario, 242
 in TechnoGarden scenario, 258
 phosphorus use and trends in, 205
 spirit sanctuaries in, 23
 vulture declines in, 439

Indirect drivers. *See* Drivers of change

Infectious diseases. *See also specific disease*
ecology of emerging diseases, 53, 102, 464
comparison across scenarios, 269–270, 270
human-driven movement of, effect of, 175, 211–212
in failed states, 260
pandemic, 464

Information sharing in Adapting Mosaic scenario, 135

Institutional factors in scenarios, 152

Integrated assessment models (IAMs), 39, 102–107, 105, 463

Interactions among drivers and ecosystems, 29, 212–214, 431–448
case studies, 438–442

Interactive feedbacks, 50

Intergovernmental Panel on Climate Change (IPCC), 37, 80, 199, 320, 527. *See also* Special Report on Emissions Scenarios (SRES)

International Food Policy Research Institute (IFPRI), 81–83

International Institute for Applied Systems Analysis (IIASA), 304

International migration. *See* Immigration

Interventions
biodiversity losses, opportunities for, 402
MA assessment of, 32–33

Interviews with stakeholders, 3, 4, 121, 122–124, 124–125

Invasive species, 209–211, 401–402
comparison across scenarios, 277–279, 278
ecosystem consequences of, 209–211
Global Orchestration scenario, 132–133
Great Lakes water quality and, 441
human-driven movement of, effect of, 175, 209–211

Involuntary parks, creation of, 261

IPCC. *See* Intergovernmental Panel on Climate Change

Irreversibility, 434, 458, 461–464

Irrigation
area growth among scenarios, 336
basin-level efficiency, 366–367
use of water for, 14, 349–350

Island biogeography, 54–55

J

Jamaica fisheries and tourism, 439–440

Japan
economic acceleration in, 308
labor productivity in, 187
rice crop increases in, 203–204

Johannesburg Declaration, 460, 461, 494–500

K

Knowledge gaps
about robustness and resilience of ecosystems, 286
in ecological understanding, 59
in modeling abilities, 107–108, 450, 451, 465–466
in predicting cross-scale interactions, 287

Knowledge specialization, 192

Korea's Demilitarized Zone, 261

Kuznets Curve. *See* Environmental Kuznets Curve

Kyoto Protocol, 474

L

Lakes. *See* Water resources

Lakeshore development in northern U.S., 439

Land cover change. *See also* Deforestation
as driver of change, 49, 175
comparison across scenarios, 322–327, 324–327
forecasting, 74–76
impact of changes on local and regional climates, 77–81

Land use change. *See also* Agriculture; Deforestation; Urban growth and urbanization
as driver of change, 207–209, 458
agricultural conversion, 208–209
biological invasions and ecosystem consequences, 209–211
deforestation, 207–208
diseases and ecosystem consequences, 211–212
dryland degradation, 208
urbanization, 209

biodiversity, effect on, 377, 458
comparison across scenarios, 322–327, 324–327, 528
difficulty in modeling of, 80
drivers of, 212–213, 300
forecasting, 74–76
future demand for, 11, 11
importance of, 450, 451, 458
trade-off with biodiversity, 435–436

Landmines, 193

Landscape ecology, 56–57, 58

Latin America's transportation innovation in TechnoGarden scenario, 256–258, 259

Lessons learned from scenario analysis, 449–467
analytical typology of, 452, 452
“best case” scenario not offered, 457, 472
biodiversity modeling, 454
future assessments benefiting from, 450–451
information gaps and research needs, 464–466
integrated assessment approach, 454–455, 454–455
interactions and trade-offs, assessment of, 454
path-dependency and irreversibility, 462
policy, planning, and development frameworks, 459–464
replacement of some ecosystem services, 454, 458
robust findings, 457–458
scenario development process, 452–454
sustainability requiring mixed scenarios, 456

The Limits to Growth (Meadows et al.), 62

Lobster fishing in Maine, 441, 446

Local solutions and effect on global problems, 49, 50, 226, 284. *See also* Community implications

Lurching learning, 61

M

MA. *See* Millennium Ecosystem Assessment

Macroevolutionary theory, 52

Maine lobster fishing, 441

Malaria, 53, 101, 250, 464

Malnutrition rates, 10, 10, 338, 339, 368, 423, 499

Marine biodiversity, 379, 398–401. *See also* Freshwater biodiversity
Benguela current model, 400
Central North Pacific model, 400–401

change across scenarios, 399–401
Gulf of Thailand model, 399–400
modeling changes in, 155

Markets for ecological management, 62

Material needs and human well-being, 28, 267–269, 413–416

Materials requirements for productivity, 186–187, 188

Maximum sustained yield (MSY), 60

MDGs. *See* Millennium Development Goals

Meat, increased demand for. *See* Food demand and production

Microevolutionary theory, 52, 58

Middle East
as hot spot region, 363
comparison across scenarios, 363
food import dependence in, 300

Midwest Organic Agriculture Project in Adapting Mosaic scenario, 250

Migration. *See* Immigration

Millennium Development Goals (MDGs)
implication for national governments and, 492–494
policy reform and, 42
prospects for reaching, 471
scenarios in relation to, 14, 460–461
specific goals of, 492–493
trade-offs to achieve, 438

Millennium Ecosystem Assessment (MA)
assessment tools for, 31–32
assessments as part of, *xiv, xv*
goals of, 47
reporting categories of, 26, 27

Mining
fossil fuel extraction and, 330
Zambia mine effluent remediation by natural wetlands, 440, 442, 443, 446

Mississippi River drainage. *See* Gulf of Mexico agriculture and hypoxia

MIT's Integrated Assessment Model, 106

Modeling, 31, 71–115, 367–368. *See also* Forecasting; Scenarios; *specific models*
biodiversity and, 154–155, 454
criticism of early global environmental modeling, 62
EwE (Ecopath with Ecosim) software, 163–166
food demand and supply, 81–84
gaps in modeling abilities, 107–108, 450, 451, 465–466
integrated assessment models, 39, 102–107, 105
land cover or use change, 74–81
linkages with scenarios, 228–230
predictive modeling, shortcomings of, 40
reporting regions for global modeling, 517
types of, 73

Modeling-based scenarios (prior to 1995), 38

Monitoring, advantages of, 14

Montreal Protocol, adoption of, 51

Mortality, 179–180, 182, 228, 305

MSY (Maximum sustained yield), 60

N

Narrative-based scenarios, 42–43, 43. *See also* Development of scenarios
prior to 1995, 38

- National Center for Ecological Analysis and Synthesis, University of California, Santa Barbara, 84
- National government implications, 472, 491–501
 economic growth and, 500–501
 food production and, 500–501
 food security and, 500–501
 long-term implications for Johannesburg Declaration, 494–500, 495–498
 medium-term implications for MDGs, 492–494
 security concerns and, 500
 stable government structures and, 500–501
- National Research Council of the U.S. National Academy of Sciences, 84
- National security
 economic growth and, 500
 Order from Strength scenario and, 133, 134, 228
 scenarios that focus intensively on, 226, 284
- Natural capitalism and TechnoGarden scenario, 136, 474
- Natural disasters. *See also* Surprise
 Adapting Mosaic scenario and, 135
- New York City and drinking water quality, 446
- New Zealand Resource Management Act and Treaty of Waitangi, 504
- NGOs. *See* Nongovernmental organizations
- Nitrogen cycle. *See also* Eutrophication
 biodiversity, effect on, 391–392, 392–393, 396–397
 export in rivers, modeling of, 91–92
 feedback between nitrogen and key ecosystem processes, 92–93
 forecasting changes in, 90–94
 ocean and coastal biogeochemistry models, 92
 terrestrial process-based models, 91
 transport models, 91–92
- Nitrogen oxides emissions, 317, 319
- Nitrogen use. *See* Fertilizers, application of
- Non-utilitarian value paradigm, 31
- Nongovernmental organizations (NGOs), 192, 461, 472, 506–508
 biodiversity loss and overexploitation, 506–507
 human health and well-being, 506, 507
 interactions with communities and other response actors, 509–510
 priorities for near-term and long-term responses, 506–508
 provisioning and regulating ecosystem services, 506, 507
- Nonlinear feedbacks, 50
- Nonrenewable resources and trade-offs, 433
- Norms, cultural, 195
- North Benguela
 fish landings, 341, 342
 marine biodiversity model, 399, 400
- North Pacific Ocean regime shift in marine ecosystem, 463
- Northern Africa
 climate change in, 462
 food import dependence in, 300
- O**
- Opportunities for intervention, 402
- Order from Strength scenario, 237–244
 acidification, 319–320
 agricultural intensification, 333–335, 529
 agricultural uncertainty, 344
 air pollution, 316–318, 476–477
 benefits and risks of, 138, 138, 239, 286, 456–457
 beyond 2050, 244
 biochemical discoveries, 354
 biodiversity, 13, 265, 377
 climate change, 389–391
 combined threats, 477
 freshwater biodiversity, 392–398
 habitat loss, 381–387, 476, 502
 marine biodiversity, 398–401
 overexploitation, 476, 502
 terrestrial biodiversity, 384–392
- biofuels, 344
- biological pest and disease control, 360
- child malnutrition, 338
- climate change, 276, 320–322, 355, 389–391, 499
- coastal protection, 359
- community response strategies and options, 505, 509
- crop area and livestock numbers growth, 365–366
- cultural services, 424
- diseases, emerging, 270
- drylands, 267, 487–491
- economic development, 308–309, 456
- energy use and production, 313
- erosion risk, 356–358
- eutrophication, 277
- extreme events, 139
- failed states and pirate zones, 260
- fertility rates, 305
- fertilizer use, 328–330
- fish consumption and production, 339–343
- fisheries, 244, 273–274
- food demand, 332–333
- food production, 331–332, 501
- forest area, future of, 11, 11, 325
- freshwater resources, 346–353
- genetic resources, 353–354
- Global Orchestration becoming, 427
- greenhouse gas emissions, 315, 463
- Gulf of Mexico hypoxia, 279–283
- human well-being, 425, 427, 456, 474
 community implications, 503–504
 freedom and choice, 269, 422
 future of, 15
 health, 269, 417–418
 material needs, 267–269, 414
 social relations and security, 269, 420–421
- invasive species, 277
- involuntary parks, creation of, 261
- irrigation area growth, 336
- irrigation efficiency, 366–367
- land use or land cover change, 323–327, 528
- largest quality decrease in ecosystems in, 267, 300, 456–457
- migration rates, 305
- mining and fossil fuel extraction, 330
- mistrust of global institutions, 473–474
- mortality rates, 305
- NGOs and, 508, 509
- outcomes for ecosystem services and human well-being (2050 compared with 2000), 9
- policy-making for, 473–474
- pollination, 359–360
- population size, 305–307
- private-sector implications, 512–513
- private-sector response strategies and options, 512–513
- provisioning and regulating services, 362–363, 423
- purpose of, 4, 5, 121
- reactive policies of, 227, 436, 456
- sociopolitical drivers of change, 312
- supporting ecosystem services, 360
- surprise, 365, 424–425
- synopses of, 121, 128, 133–134, 225
- technology, 310–311
- trade and food prices, 337–338
- trade-offs between ecosystem services, 363, 436–437, 444, 474
- transitioning into another scenario, 141, 141–142
- unsustainability of, 226, 287, 457
- water purification, 358–359
- wetlands, 265, 267, 484–487
- years 2000–15 and fragmentation, 238–240
- years 2015–30, 240–243
 economic fragmentation, 240–241
 environmental decline, 242–243
 health and safety, 241
 new trading blocs, 241–242
 sanctions on poor countries, 241
 tourism and security, 241
- years 2030–50, 243–244
 declining ecosystem services, 243
 downward cycles, 243–244
 economic performances, 243
- Organisation for Economic Co-operation and Development
 energy and productivity, 186, 187
Environmental Outlook, 41
 food demand and supply projections, 81–83
 on productivity increases, 187
 per capita GDP growth, 186
 technology and productivity, 196
- Organisms
 bioengineered. *See* Genetically modified organisms
 movement of. *See* Invasive species
- Ornamental resources, 354
- Ozone layer, 51, 62
- P**
- Patch dynamics, 55–56
- Path-dependency, 462
- Percolation theory, 56
- Pest control. *See* Biological pest and disease control
- Phosphorus. *See also* Fertilizers, application of
 cycling and water quality, 87–90
 transport models, 87–88, 89–90
 use and trends, 204, 204–205, 523
- Pirate zones, 260
- Plant diversity. *See* Biodiversity, future of
- Plant nutrients. *See* Fertilizers, application of
- Polestar model, 104, 105

- Policy synthesis for stakeholders, 459, 469–515
- Political drivers of change, 312. *See also* Sociopolitical drivers of change
- Pollination, 359–360
- Population growth, 175, 176–182, 177, 182, 304–307
 - aging of population, 306–307
 - assumptions, 305–306
 - current conditions, 176–178, 177
 - ecosystem consequences of, 181–182
 - fertility changes, 178–179
 - in scenarios, 152, 182, 182, 229
 - international migration, 180–181
 - mortality decline, 179–180
- Potassium use. *See* Fertilizers, application of
- Poverty–wealth gap
 - agricultural advancements and, 198
 - ecosystem degradation and, 23
 - environmental improvements linked to poverty reduction, 126
 - food consumption and, 500
 - human well-being and poverty reduction, 28–29
 - Millennium Development Goals to reduce. *See* Millennium Development Goals
 - Order from Strength scenario and, 133–134, 227, 274, 500
 - reliance of the poor on ecosystems, 47, 284
 - unequal access to ecosystem services, 28
- Prediction, 57–58. *See also* Scenarios
- Private-sector implications, 192, 461, 472, 510–513
 - biodiversity change and, 511
 - drivers of change in ecosystem services, 511
 - ecosystem function change and, 511
 - linkages and stakes, 510–511
 - response strategies and options in scenarios, 512, 512–513, 514
- Productivity
 - agriculture, 367
 - innovation and technological change, 196
- Progressive governance, 192
- Property rights, effect of, 63
 - TechnoGarden scenario and, 136
- Provisioning services. *See also specific type (e.g., food production)*
 - community implications, 502–503
 - comparison across scenarios, 330–354, 362–363, 458
 - defined, xiii, 25
 - focus on, effect of, 14, 15
 - future demand for, 10, 300, 302–303
 - human well-being and, 416, 422–423
 - NGOs and, 506, 507
 - trade-offs, 436
- Public participation in decision-making, 28, 191–192
- Q**
- Qualitative and quantitative analysis
 - in assessment, 4, 40, 40
 - in scenario development, 147, 148, 454
 - trade-offs, cautions of using, 445
- R**
- Rainfall, 200, 321–322, 526. *See also* Climate change difficulty in modeling of, 80
- RAINS (Regional Acidification Information and Simulation) model, 104
- Ramsar Convention on Wetlands, 22, 482–487
 - Convention Scorecard on threats to biodiversity in scenarios, 266
 - prospects for, 471, 486–487, 486–487
 - request for information from, xiii
 - scenarios usefulness to, 460
 - threats to wetlands in scenarios, 484–486, 485
- Recycling and biotic effects models, 88–89
- Reductionist approaches to science, 102
- Reefs, change from coral to algal, 199
- Regional disaggregation, 39
 - scenario focusing on, 128, 134, 228. *See also* Adapting Mosaic scenario
- Regionalization, effect of, 4, 226
 - scenarios focusing on, 121, 128. *See also* Order from Strength scenario
- Regulating services, 302–303. *See also specific type (e.g., air quality)*
 - community implications, 502–503
 - comparison across scenarios, 354–360, 362–363
 - defined, xiii, 25
 - human well-being and, 416, 423
 - NGOs and, 506, 507
 - trade-offs, 363–364, 436
- Religious drivers of change. *See* Cultural and religious drivers of change
- Resilience
 - as ecology management approach, 60–61
 - defined and explained, 231
 - ecosystem services and, 127
- Resources Working Group, xvi
- Rinderpest virus, 211
- Risk and human well-being, 412–413
- Risk assessment, 32–33
- River blindness, 47
- Rivers, 377. *See also* Water resources
- Roads, effect of, 57
- ROMS (Regional Ocean Modeling System), 99
- Royal Dutch/Shell use of scenario analysis, 37
- S**
- St. Lucia no-take zones, 440–441
- Salinization of drylands in Australia, 442, 444
- Salmon, farmed, 56
- SARS, 269, 464
- Scenarios, 45–70. *See also* Adapting Mosaic scenario; Global Orchestration scenario; Order from Strength scenario; TechnoGarden scenario
 - analytical typology of, 452, 452
 - application of theory to, 64, 65
 - benefits and risks across, 137–139, 138, 285, 286, 450
 - breakdowns of ecosystem services in, 139, 139–140
 - characteristics of, 227
 - combining for advantageous approaches, 14, 16–17
 - consequences of possible changes in development paths, 284–285
 - contrasts among, 3, 3, 122, 129–131, 265–283, 456. *See also* Cross-cutting comparisons among scenarios
 - defined, xxi, 2, 147
 - development of. *See* Development of scenarios
 - drivers of change and, 125–126, 361–362
 - ecological management dilemmas and, 124–125
 - gaps in knowledge and, 286
 - historical perspective. *See* Historical perspective for scenarios
 - integrated approach to, 39, 39
 - issues to be addressed by, 122–126
 - lessons learned from, 452–454. *See also* Lessons learned from scenario analysis
 - linkage with quantitative modeling, 228–230
 - modeling and. *See* Modeling
 - monitoring, advantages of, 14
 - multiple futures for, 39
 - multiple pathways to outcomes, 300
 - outcomes for ecosystem services and human well-being (2050 compared with 2000), 9
 - overview of, 126–129
 - purpose of using, 32, 48–52, 121, 148, 450, 451, 454
 - quantification and narrative requirements for, 40
 - rationale and overview, 119–143
 - robust findings across, 285
 - storylines. *See* Development of scenarios
 - theories and ideas relevant for, 52–59
 - transitions among, 122, 140–142, 141, 427, 450
 - uncertainty and, 285–286
 - user needs and core questions for, 122–123, 152, 283–287
 - value of, 51–52
- Scenarios Working Group, xvi, 129
- Schistosomiasis, 48
- Science and technology drivers, 195–199
 - agricultural science and, 196–199, 197
 - ecosystem consequences of, 199, 458, 464
 - in scenarios, 199
 - innovation and technological change, 196, 458
- Scientific Committee on Ocean Research workshop, 199
- Sea level rise, 200, 322, 323, 462. *See also* Climate change
- Security and human well-being, 28, 419–421
- Sensitivity analysis, 156
- Shrimp in lakes of Columbia River Basin, 54
- SimCoast, 100
- Smuggling and failed states, 260
- Snails and schistosomiasis, 48
- Social learning, 61–62
- Social relations and human well-being, 28, 419–421
- Social surprise. *See* Surprise
- Socioeconomic context of ecology, 59–62
 - adaptive management and, 61
 - command and control, 59, 60
 - managing for resilience, 60–61
 - scenarios and, 461
 - social learning and, 61–62
 - uncertainty and control, 59–60, 60
- Sociopolitical drivers of change, 191–194, 312, 312
 - dispute resolution, 192
 - ecosystem consequences of, 192–194
 - education and knowledge and, 192
 - in scenarios, 194

- public participation in decision-making, 28, 191–192
- role of state relative to private sector, 192
- war and ecosystem services and human well-being, 193
- Soil degradation, 355–358, 356–357
- South Africa
- blackfly *Simulium chutteri*, 47
 - Working for Water program, 504
- South Asia
- as hot spot region, 363
 - comparison across scenarios, 363
- South Korea
- economic acceleration in, 308
 - endangered species in Demilitarized Zone, 261
- Southern Africa
- in Adapting Mosaic scenario, 254, 256
 - in Global Orchestration scenario, 237, 238
- Southern African Millennium Ecosystem Assessment, 228
- Southern African Sub-global Assessment, 213
- Spatial scales
- ecosystem service interactions and, 434
 - linkages with temporal scales, 150–151, 151, 453
- Spatial trade-offs, 444–445
- Special Report on Emissions Scenarios (SRES), 40, 41, 42, 43, 49, 58
- energy use assumptions from, 312
 - focus of, 466
 - MER-based income projections used in, 307
 - models used in, 106, 107
 - projected climate changes, 201
 - qualitative and quantitative scenarios combined in, 148
- Species abundance and ecosystem function, 403, 404
- Spruce budworm, 53
- SRES. *See* Special Report on Emissions Scenarios
- Stakeholders. *See also* Decision-making process
- importance of, 24
 - interactions between communities, NGOs, and other response actors, 509–510
 - interviews with, 3, 4, 121, 122–124, 124–125
 - policy synthesis for, 459, 469–515
 - scenarios' usefulness for, 459–461
- Storylines. *See* Development of scenarios
- Sub-global assessments and multiscale scenario development, 170–171, 171
- Sub-Saharan Africa
- environmental refugees in, 181
 - in Adapting Mosaic scenario, 253
 - in Global Orchestration scenario, 237
 - in Order from Strength scenario, 242, 245
 - in TechnoGarden scenario, 259
 - rapid changes in scenarios, 300
 - rinderpest virus in, 211
 - scenarios focused on conditions in, 228
 - water use increases, 300
- Substitutions, feasibility of, 28
- Successional processes, 55–56
- Sulfur dioxide emissions, 316, 318, 476–477
- Supporting ecosystem services, 360, 416
- comparison across scenarios, 458
 - policy-makers ignoring, 433, 443–444
 - trade-offs and, 436
- Surprise
- ability to cope with, 226
 - climate, ecology, and carbon, 49
 - defined, 39
 - differences of magnitude in scenarios, 122, 286–287, 287, 364–365, 424–425
 - global environmental surprise as result of local focus, 226
 - Global Orchestration scenario and, 132–133
 - social surprise
 - distinguished from ecological surprise, 412
 - human well-being and, 411, 412, 424–425
- Sustainability and the future, 10–12, 23, 28, 36–37, 47, 48, 122
- Johannesburg Declaration and, 494–500, 495–498
 - Millennium Development Goals and, 471–472, 493
 - technology and engineered ecosystems, 225–226, 456–457
- Synergism, 433–434, 445
- Synthesis of scenarios for best outcomes, 14, 16–17, 64–66, 361–365, 472, 514–515
- ## T
- Tanzania and forest resources management, 415
- TARGETS model, 104–105
- Taxes and subsidies, effect of, 175
- TechnoGarden scenario, 254–264
- acidification, 319–320
 - agricultural intensification, 333–335
 - agricultural uncertainty, 344
 - air pollution, 316–318, 477
 - benefits and risks of, 138, 138–139, 257, 286, 457
 - biochemical discoveries, 354
 - biodiversity, 265, 377
 - climate change, 389–391
 - combined threats, 477
 - freshwater biodiversity, 392–398
 - habitat loss, 381–387, 476
 - marine biodiversity, 398–401
 - overexploitation, 476, 502
 - terrestrial biodiversity, 384–392
 - biofuels, 344
 - biological pest and disease control, 360
 - challenges 2050–2100, 264
 - child malnutrition, 338
 - climate change, 276, 320–322, 355, 389–391, 462, 499
 - coastal protection, 359
 - community response strategies and options, 505–506, 509
 - crop area and livestock numbers growth, 365–366
 - cultural drivers of change and, 195
 - cultural services, 423–424
 - diseases, emerging, 271
 - drylands, 267, 487–491
 - economic development, 308–309, 457
 - energy use and production, 313
 - erosion risk, 356–358
 - eutrophication, 277
 - extreme events, 140
 - fertility rates, 305
 - fertilizer use, 328–330
 - fish consumption and production, 340–343
 - fisheries, 275
 - food demand, 333
 - food production, 331–332, 501
 - freshwater resources, 346–353
 - genetic resources, 353–354
 - genetically modified organisms, 257
 - greenhouse gas emissions, 315
 - Gulf of Mexico hypoxia, 279–283
 - human well-being, 427–428, 456, 474
 - community implications, 503–504
 - freedom and choice, 269, 422
 - health, 269, 418
 - material needs, 267–269, 415–416
 - social relations and security, 269, 421
 - invasive species, 278–279
 - involuntary parks, creation of, 261
 - irrigation area growth, 336
 - irrigation efficiency, 367
 - land use or land cover change, 323–327, 528
 - migration rates, 305
 - mining and fossil fuel extraction, 330
 - mortality rates, 305
 - natural capitalism, 136, 474
 - NGOs and, 508, 509
 - outcomes for ecosystem services and human well-being (2050 compared with 2000), 9
 - policy-making for, 474
 - pollination, 359–360
 - population size, 305–307
 - private-sector response strategies and options, 513
 - proactive policies of, 227, 436, 456
 - provisioning and regulating services, 362–363, 423
 - purpose of, 5, 6, 121
 - sea level rise, 322
 - sociopolitical drivers of change, 312
 - supporting ecosystem services, 360
 - surprise, 365, 424–425
 - synopses of, 121, 128, 135–137, 225
 - technology, 310–311, 474
 - trade and food prices, 337–338
 - trade-offs between ecosystem services, 438, 474
 - transitioning into another scenario, 141, 142
 - water purification, 359
 - wetlands, 484–487
 - years 2000–15, 255–258
 - green revolution, 255–256
 - isolated islands and globalization, 258
 - transportation innovation in Latin America, 256–258, 259
 - years 2015–30, 258–262
 - consolidation of globalization, 258–261
 - green design and ecological agriculture, 262
 - urban eco-development, 261–262
 - years 2030–50, 262–263
 - eco-technology, 263
 - eco-urbanism, 263
 - technocrats' role, 262–263
 - year 2050, 263–264
 - year 2050–2100, 264
- Technology. *See also* Science and technology drivers
- agricultural. *See* Agriculture

- in scenarios, 152, 309–311, 311, 461
 innovation and change, 196
 Order from Strength scenario and, 134
 scenario focusing on, 128. *See also* TechnoGarden scenario
- Temperature change. *See* Climate change
- Temporal scales
 ecosystem service interactions and, 434
 linkages with spatial scales, 150–151, 151, 453
- Temporal trade-offs, 444
- Terrestrial biodiversity, 380–392. *See also* Convention on Biological Diversity (CBD)
 atmospheric deposition and, 391–392, 392–393
 biome shifts and, 390–391, 391
 climate change and, 387–391, 391, 393
 comparison across scenarios, 384–392
 description of Terrestrial Biodiversity Model, 166–169, 169
 global species losses, estimating, 382
 IMAGE and, 380
 integrating environmental pressures on, 392, 393–394
 local species losses, estimating, 377, 382
 loss of species through loss of habitat, 12–13, 13, 377, 384–385, 385–386, 393, 476
 modeling changes in, 154–155
 plant diversity as determined by climate patterns, 530
 species-area relationship (SAR) and, 380–381, 392
 tick diversity in Africa, 390, 531
 uncertainties in extinction predictions, 382–384, 383–384
 vascular plants, 381–382, 381–382, 394
 loss through loss of habitat, 385–387, 387–389
- Theories and ideas relevant for scenarios, 52–59
 application of theories, 58–59, 64
 community ecology and, 54–56
 disturbance, succession, and patch dynamics, 55–56
 evolutionary theory, 52
 food webs, bioaccumulation, and trophic cascades, 56
 hierarchy theory, 52–54
 island biogeography, 54–55
 knowledge gaps, 47, 59
 landscape ecology and ecosystem ecology, 56–57
 prediction, forecasting, and uncertainty, 57–58
 systems approaches, 56–57
- 3E models, 106
- Tick diversity in Africa, 390, 531
- Time scale of assessments, 30, 39, 151, 450, 453–454
- TOMS (Terrain-following Ocean Modeling System), 99
- Tourism
 Adapting Mosaic scenario and, 135, 252
 as economic driver, 189–191
 ecological impacts of, 190, 213–214, 476
 spread of disease and, 53
- Trade
 Adapting Mosaic scenario and, 134
 food prices and, 337–338, 338
 Global Orchestration scenario and, 132
 income growth and, 184
 liberalization, effect of, 4, 175, 186
 species introductions and, 377–378, 402, 402
- Trade-offs, 13–14, 47, 300, 431–448
- case studies, 438–442, 442
 choice of ecosystem service trade-offs, 443
 classification of, 433, 434, 434
 comparison across scenarios, 363–364, 433, 442–445, 474
 defined, xxii, 434
 lessons learned and, 454
 slowly changing factors and, 6, 443–444
 spatial, 444–445
 temporal, 444
 unknown and unanticipated, 443
- Traditional knowledge, use of, 32
- Transformation learning, 62
- Trophic cascades, 56, 61
- Tropical deforestation, 212–213
- U**
- Uganda, phosphorus use and trends in, 205
- Uncertainty, 39, 57–58. *See also* Surprise
 comparison across scenarios, 364–365
 control and, 59–60, 60
 development of scenarios and, 155–156, 156
 examples of deep uncertainties, 453
 marine populations and, 96–97
 of agricultural estimates, 343–344
 of extinction predictions, 382–384, 383
 of water availability estimates, 351–352
 scenarios and, 285–286, 524
- United Kingdom
 fertilizer use and trends in, 205, 206
 invasion of non-native plant species, 211
- United Nations
 Agenda 21, 42, 208
 Convention on Biological Diversity. *See* Convention on Biological Diversity (CBD)
 Convention on Desertification. *See* Convention to Combat Desertification
 Environment Programme, 186. *See also* Global Environment Outlook
 Food and Agriculture Organization. *See* Food and Agriculture Organization (FAO)
 population scenarios developed by, 304
- United States. *See also* U.S. Department of Agriculture (USDA)
 Endangered Species Act, 63
 energy and productivity, 187
 fertilizer use in, 440, 443
 lakes in Midwest and management for resilience, 61
 lakeshore development in, 439
 water quality and biological invaders in, 441
- Urban growth and urbanization
 as driver of change, 209
 comparison across scenarios, 279, 279–280
 ecosystem consequences of, 213
 food consumption and, 183
 spread of disease and, 53
- U.S. Department of Agriculture (USDA), 81–83
- Utilitarian value paradigm, 30–31
- V**
- Value
 associated with ecosystem services, 30–31, 31, 63
 of ecological scenarios, 51–52
- Vascular plants. *See* Terrestrial biodiversity
- Vertical integration, 103
- Volition, 39
- Vulnerability and human well-being, 411, 412–413, 424–425, 466. *See also* Surprise
- Vulture declines in India, 439
- W**
- War and conflicts, effect of, 192, 193
 Order from Strength scenario and, 425
- Water purification, 358–359. *See also* Drinking water quality
- Water resources
 biodiversity loss and, 392–398. *See also* Freshwater biodiversity
 changes expected in, 300
 comparison across scenarios, 345–353, 346–349
 drinking water. *See* Drinking water quality
 eutrophication models, 88–89, 90. *See also* Eutrophication
 fertilizer application's effect on, 13, 14
 forecasting changes in quality in, 87–90
 future demand for, 10, 11, 344–353
 inverse relationship with agricultural production, 435
 phosphorus cycling and water quality, 87–90
 purification, 358–359
 recycling and biotic effects models, 88–89
 return flows and water quality, 348–351, 351
 uncertainty of estimates for, 351–352
- Water stress, 347–348, 349
- WaterGAP (Water Global Assessment and Prognosis) model, 153–154, 394
 description of, 160–161, 162–163
- Wealth-poverty gap. *See* Poverty-wealth gap
- Well-being. *See* Human well-being
- Wetlands, future of, 12, 265–267, 287, 288–291, 398, 476
 trade-offs, 440, 442, 446
- Wetlands Convention. *See* Ramsar Convention on Wetlands
- White pox disease, 211
- Women's rights and Millennium Development Goals, 493
- Working for Water program (South Africa), 504
- World Bank food production and demand projections, 82–83
- World Business Council for Sustainable Development, 40–41, 43
- World Commission on Environment and Development report (1987), 187
- World Health Organization, 416
- World Summit on Sustainable Development, 475, 494.
See also Johannesburg Declaration
- World Tourism Organization, 190
- World Trade Organization, 239, 474
- World Water Vision, 41, 148
- Z**
- Zambia mine effluent remediation by natural wetlands, 440, 442, 443, 446
- Zebra mussel invasion, 210, 441, 445

Island Press Board of Directors

Victor M. Sher, Esq. (*Chair*), Sher & Leff, San Francisco, CA

Dane A. Nichols (*Vice-Chair*), Washington, DC

Carolyn Peachey (*Secretary*), Campbell, Peachey & Associates, Washington, DC

Drummond Pike (*Treasurer*), President, The Tides Foundation, San Francisco, CA

Robert E. Baensch, Director, Center for Publishing, New York University, New York, NY

David C. Cole, President, Aquaterra, Inc., Washington, VA

Catherine M. Conover, Quercus LLC, Washington, DC

Merloyd Ludington, Merloyd Lawrence Inc., Boston, MA

William H. Meadows, President, The Wilderness Society, Washington, DC

Henry Reath, Princeton, NJ

Will Rogers, President, The Trust for Public Land, San Francisco, CA

Alexis G. Sant, Trustee and Treasurer, Summit Foundation, Washington, DC

Charles C. Savitt, President, Island Press, Washington, DC

Susan E. Sechler, Senior Advisor, The German Marshall Fund, Washington, DC

Peter R. Stein, General Partner, LTC Conservation Advisory Services, The Lyme Timber Company,
Hanover, NH

Diana Wall, Ph.D., Director and Professor, Natural Resource Ecology Laboratory, Colorado State University,
Fort Collins, CO

Wren Wirth, Washington, DC